

An Architecture Framework For Spatiotemporal Face Recognition Using MQTT Model

Venkateswara Reddy, Govardhan rao

Assistant Professor, Sri Ramakrishna Institute of Technology, Nellore

Article Information

Received : 02 Oct 2024
Revised : 06 Oct 2024
Accepted : 18 Oct 2024
Published : 22 Oct 2024

Corresponding Author:

Kalpana, Nagaaraj

Abstract— Smart home systems achieved great popularity in the last decades as they increase the comfort and quality of life. Most smart home systems are controlled by smartphones and microcontrollers. A smartphone application is used to control and monitor home functions using wireless communication techniques. We explore the concept of smart home with the integration of IoT services and cloud computing to it, by embedding intelligence into sensors and actuators, networking of smart things using the corresponding technology, facilitating interactions with smart things using cloud computing for easy access in different locations, increasing computation power, storage space and improving data exchange efficiency. The development proposed in this thesis incorporates smart sensors, communication channel and protocols for data exchange, peripherals such as atmega328, MQTT Tx. Rx. Kit, (for data interchange) Data Receptor and Decoder Shield, addressing & de-addressing data module, comm. IOT, in other words, integrates the ubiquitous communication, pervasive computing, and ambient intelligence. IoT helps to link the base station (equipped with the atmega328 Interface) which interacts with the entire module located at home. IoT here also helps to mitigate the installation and running cost and covering it all within acceptable boundaries and scope of the economy

Keywords: *Internet of Things, MQTT protocol, Google Assistance, gas monitoring, temperature device monitoring.*

Copyright © 2024: Kalpana, Nagaaraj, This is an open access distribution, and reproduction in any medium, provided Access article distributed under the Creative Commons Attribution License the original work is properly cited License, which permits unrestricted use.

Citation: Kalpana, Nagaaraj, “An Architecture Framework For Spatiotemporal Face Recognition Using MQTT Model”, Journal of Science, Computing and Engineering Research, 7(10), October 2024.

I. INTRODUCTION

Classic smart home, internet of things, cloud computing and rule-based event processing, are the building blocks of our proposed advanced smart home integrated compound. Each component contributes its core attributes and technologies to the proposed composition. IoT contributes the internet connection and remote management of mobile appliances, incorporated with a variety of sensors. Sensors may be attached to home related appliances, such as airconditioning, lights and other environmental devices. And so, it embeds computer intelligence into home devices to provide ways to measure home conditions and monitor home appliances' functionality. Cloud computing provides scalable computing power, storage space and applications, for developing, maintaining, running home services, and accessing home devices anywhere at anytime. The rule-based event processing system provides the control and orchestration of the entire advanced smart home composition. Classic smart home, internet of things, cloud computing and rule-based event processing, are the building blocks of our proposed advanced smart home integrated compound. Each component contributes its core attributes and technologies to the proposed composition. The present computing era is free from traditional computing confined to desktop or Laptop. Now, it's emerging and involves intelligent objects such as machines, infrastructures,

environment, devices and peripherals for consumer utility at daily use etc. which are interconnected through the internet, Gubbi et al. (2013). Earlier Internet was just confined to information interchange between user and set of users may be local or across global, but now Internet is going to revolutionise the humanity. The ultimate goal of the internet is to provide the speedy, relevant information about the real world applications and the objects Aggarwal et al. (2013). With continuous developmental and analytical research based approach internet application and utilities have waxed up, going beyond the speculation of the human mind; and thus resulting in the birth of IoT (Internet of Things). The global connection of intelligent objects is referred as IoT which mainly aims at connecting the most of the day-to-day common in hand tools and devices over the internet that would mainly serve the benefit of meeting comfort, luxury, and a kind of buttress to disabled, elderly people. This chapter confers to the idea of prodigious application of IoT acting as the boon in the development of modern infrastructure at discrete levels that includes: Domestic Commercial level covering up particular consumers per necessity (Smart Home). It also underscores the desideratum of energy conservation and optimum utilization of the available energy, so that it can be preserved for future generation. IoT is made up of two words, „Internet“ and „Things“. The term „Internet“ refers an infrastructure to facilitate the scalable, configurable and reliable connections

among various intelligent objects, whereas, the intelligent objects are captured by the term „Things“. Thus, IoT is the global network of number of individual networks to access the immediate and reliable information about the real world applications and objects. This global connection can be represented as given in Figure 1.

Figure 1 Global network of individual networks The main contributions of the work in this thesis can be summarized as follows First chapter described introduction iot smart home and need of analysis of iot smart home process, problem statement of iot smart home.

Chapter 2 describes the existing methods used for the home automation work. various sources, inferences from literature and the methods used for smart home automation are presented.

Chapter 3 analyses the performance of the proposed system design techniques. A brief study of the various sensors, software presented in proposed system used to presented. Later the results are compared and discussed.

Chapter 4 presents a novel approach using result and discussion images. In

Chapter 5, a summary of the outcome of the proposed work is discussed. The future enhancements that can be done are also discussed.




Figure 1 Global network of individual networks

The main contributions of the work in this thesis can be summarized as follows First chapter described introduction iot smart home and need of analysis of iot smart home process, problem statement of iot smart home. Chapter 2 describes the existing methods used for the home automation work. various sources, inferences from literature and the methods used for smart home automation are presented.

Chapter 3 analyses the performance of the proposed system design techniques. A brief study of the various

sensors, software presented in proposed system used to presented. Later the results are compared and discussed.

Chapter 4 presents a novel approach using result and discussion images. In Chapter 5, a summary of the outcome of the proposed work is discussed. The future enhancements that can be done are also discussed.

II. LITERATURE REVIEW

This chapter provides information about earlier work carried out by different researchers in this field. Home appliances of a smart home have a global connection with outside world to facilitate the communications. Louis et al. (2015) has investigated the home energy management system with Lab-View and domestics controller. They have incorporated wind power, solar power and battery storage power with the regular power supply via domestic’s controller in their proposed frame.

Nasrin Khan Sari et al. (2014) has investigated the effect of energy consumption in a smart city on the behaviour of the households and suggested the conceptual CLIOS model (A Complex, Large scale, Interconnected, Open and Sociotechnical model). They have applied the social science theories, cognitive science and existing learning methodologies in their proposed model. Further, they have suggested that a combined application of renewable technologies, awareness programs and comparative system analysis can motivate the people to reduce the energy consumption and to adopt the renewable energy systems in a smart city.

Castello et al. (2009) has applied geo statistical tool to monitor and control the smart home temperature. Variography and kirging are two important geo statistical tools. Spatial dependency ofthe observations can be computed by variography, whereas, kirging can be used to interpolate the predicated values. Muawiya et al. (2016) has investigated the load shedding and power consumption in a smart home. They have applied the „Frequency Response Grid Friendly Appliance System (FRGFAS)“ to monitor, control and automate the power consumption activities ofhome appliances and outdoor lightings. FPGA parallelism and flexibility of the LabVIEW enhances the qualities of the FRGFAS.

Their proposed load shedding framework is highly applicable in ZigBee applications and other similar kind of applications. To investigate the effect of heat capacity of the building manufacturing material along with the thermal inertia of the building Vollaro et al. (2014) has used two different software’s namely, AermecMC11300 and TRNSYS. Here, AermecMC11300 software calculates the aggregate thermal load, whereas, the TRNSYS software computes the thermal load on hourly basis in a day. Kumar et al. (2014) has proposed a „Home Energy Management System (HEMS)“ for home energy management and load

control in a network. This model incorporates the non-conventional energy resources, visual interface to monitor and control the system with following three modules. • HEMS software. • A centralized module to manage home energy consumption. • A load scheduler for the network of appliances. Gayathri & Harish (2014) have studied the home power management problem by including wireless sensor networks, LabVIEW and ZigBee protocol. They noticed that the minimization in power consumption occurs due to the proper management, control and periodic alerts to home

appliances. The major advantage of their proposed framework is that it is free from physical cabling. Jangia et al. (2013) has suggested a strategy for simulating and testing the home appliances. Home appliances can be realized in the following two ways in their proposed strategy. • Thermal home appliances can be simulated by applying constant numeric values of heating and cooling. • Rest of the home appliances can be simulated in its time duration profile.


III. SYSTEM DESIGN

As entering into the era of modernization and automation, there is an all-around development and technological growth in the electrical and electronics sector. Modern electrical appliances, fittings are becoming more luxurious and simple to operate, like operating through android or personal computer. We thereby felt the requirement that needs to be brought up by slightly modifying the existing technology. Adopting this new technology would possess the benefits to not only operate the appliances with Android, personal computer or autonomously but will also possess the ability to calculate the consumed energy by the particular load. The system is consisting of atmega board which use controller. To access the internet we required the internet connectivity which provided by WiFi module to transmit the message. The find sensor values temperature, gas, and PIR sensor values occur use the vibration sensor.

To monitor the live data we used application called open arduino ide. The common access point like router is used to provide the internet connectivity for system as well for used is used like router. In the below figure 2 shows the overall block diagram of the proposed system. Initially the values of cloud server are being cleared so that a previous value does not required to be stored after each restart. Then the VNC Viewer app is started and simultaneously the Wifi module is powered and connection is established between Wifi module and access point through which can upload and access the sensor value over internet. The control taken through the used are send by VNC Viewer application and uploaded over the cloud server the controller retrieves the data through Wifi module and performs the required action, depending on the control signal provide by the user.

Figure 2 shows the block diagram of impact sensing by the sensors whenever the temperature values takes place. It

starts with the initialization of the ADC as the output of the DHT22 sensor is an analog signal. The ADC digitizes the impact of the temperature values sensed by the sensor and sends it to the microcontroller. If the value of this impact is less than the threshold value then, the microcontroller will ignore it and if the value of impact exceeds the threshold value then, the microcontroller will consider it as an over temperature and turn on fan from sends the signal to the module and the base station. , Figure 2 proposed system block diagram The temperature sensor is analog sensor which used to monitor the temperature transmit the analog signal to the atmega328 controller, controller transmit the signal continuously through MQTT protocol (mosquito protocol). MQTT protocol type of communication between server and controller with help of wifi module advanced protocol module instant updating of data's. google assistance used to on/off on/off devices MQTT protocol. PIR (passive infrared sensor) used to detect human and living objects, this sensor will used detect person and automatically on and off device like fan, light, AC and other device. Controller the on/off signal transmits the relay driver which is used on/off fan , light , AC, and other devices. Gas sensor used to detect the gas leakage and prevent the major damage. Gas leakage is captured gaseous signal into electrical signal ,electrical signal convert the both analog and digital signal. Normally analog signal threshold based set



Proposed system working module consist of three different types of architecture inbuilt in single modules they are, it consist of three module they are,

First module: PIR sensor detects the light and fan will be on automatically otherwise fan is ideal state this will very useful to energy consumption without man power.

Second module: The gas monitoring system, MQ2 sensor used to detect the gas values continuously any harmful gas leakage is detect intimation given to the controller. The controller instantly on the buzzer inform to the authorized persons. Figure 5 proposed system prototype module Third module:

Third module is temperature monitoring system. DHT22 sensor used to monitor the temperature; DHT22 sensor monitors both temperature as well as humidity. The temperature values are continuously sent to via server based database. We check the details for user through server pages.

IV. RESULTS AND DISCUSSIONS

Proposed system working module consist of three different types of architecture inbuilt in single modules they are, it consist of three module they are, First module: PIR sensor detects the light and fan will be on automatically otherwise fan is ideal state this will very useful to energy consumption without man power. Second module: The gas monitoring system, MQ2 sensor used to detect the gas values continuously any harmful gas leakage is detect intimation given to the controller. The controller instantly on the buzzer inform to the authorized persons. Figure 5 proposed system prototype module Third module: Third module is temperature monitoring system. DHT22 sensor used to monitor the temperature; DHT22 sensor monitors both temperature as well as humidity. The temperature values are continuously sent to via server based database. We check the details for user through server pages.




Figure 5 proposed system prototype module

If temperature values are exit the particular values user will turned on the fan using through voice signal based Google assistant's android application. Server and monitoring section applications are demands on the wifi based MQTT communication protocols.

V. CONCLUSION

IoT is a paradigm which makes each object as an intelligent object. Intelligent objects have the identification, sensing, communication and processing features which makes them capable to communicate with other objects, software and services running on the internet. Intelligent objects forms the backbone of the IoT and helps to improve the living standard in a city. A smart home has many IoT based applications running in different areas across the city. In this thesis, we have applied IoT to study the issues related to the power consumption, and security system in a home to make it a smart home.

REFERENCES

- [1]. P. Nirmala, T. Manimegalai, J. R. Arunkumar, S. Vimala, G. Vinoth Rajkumar, Raja Raju, "A Mechanism for Detecting the Intruder in the Network through a Stacking Dilated CNN Model", *Wireless Communications and Mobile Computing*, vol. 2022, Article ID 1955009, 13 pages, 2022. <https://doi.org/10.1155/2022/1955009>.
- [2]. D. Sathyanarayanan, T. S. Reddy, A. Sathish, P. Geetha, J. R. Arunkumar and S. P. K. Deepak, "American Sign Language Recognition System for Numerical and Alphabets," 2023 International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE), Chennai, India, 2023, pp. 1-6, doi: 10.1109/RMKMATE59243.2023.10369455.
- [3]. J. R. Arunkumar, Tagele berihun Mengist, 2020" Developing Ethiopian Yirgacheffe Coffee Grading Model using a Deep Learning Classifier" *International Journal of Innovative Technology and Exploring Engineering (IJITEE)* ISSN: 2278-3075, Volume-9 Issue-4, February 2020. DOI: 10.35940/ijitee.D1823.029420.
- [4]. Ashwini, S., Arunkumar, J.R., Prabu, R.T. et al. Diagnosis and multi-classification of lung diseases in CXR images using optimized deep convolutional neural network. *Soft Comput* (2023). <https://doi.org/10.1007/s00500-023-09480-3>
- [5]. J.R.Arunkumar, Dr.E.Muthukumar," A Novel Method to Improve AODV Protocol for WSN" in *Journal of Engineering Sciences*" ISSN NO: 0377-9254 Volume 3, Issue 1, Jul 2012.
- [6]. R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [7]. Arunkumar, J. R. "Study Analysis of Cloud Security Challnenges and Issues in Cloud Computing

- Technologies." *Journal of Science, Computing and Engineering Research* 6.8 (2023): 06-10.
- [8]. J. R. Arunkumar, R. Raman, S. Sivakumar and R. Pavithra, "Wearable Devices for Patient Monitoring System using IoT," 2023 8th International Conference on Communication and Electronics Systems (ICCES), Coimbatore, India, 2023, pp. 381-385, doi: 10.1109/ICCES57224.2023.10192741.
- [9]. S. Sugumaran, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [10]. R. S. Vignesh, V. Chinnammal, Gururaj.D, A. K. Kumar, K. V. Karthikeyan and J. R. Arunkumar, "Secured Data Access and Control Abilities Management over Cloud Environment using Novel Cryptographic Principles," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199616.
- [11]. Syamala, M., Anusuya, R., Sonkar, S.K. et al. Big data analytics for dynamic network slicing in 5G and beyond with dynamic user preferences. *Opt Quant Electron* 56, 61 (2024). <https://doi.org/10.1007/s11082-023-05663-2>
- [12]. Krishna Veni, S. R., and R. Anusuya. "Design and Study Analysis Automated Recognition system of Fake Currency Notes." *Journal of Science, Computing and Engineering Research* 6.6 (2023): 16-20.
- [13]. V. RamKumar, S. Shanthi, K. S. Kumar, S. Kanageswari, S. Mahalakshmi and R. Anusuya, "Internet of Things Assisted Remote Health and Safety Monitoring Scheme Using Intelligent Sensors," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199766.
- [14]. R. S. Vignesh, R. Sankar, A. Balaji, K. S. Kumar, V. Sharmila Bhargavi and R. Anusuya, "IoT Assisted Drunk and Drive People Identification to Avoid Accidents and Ensure Road Safety Measures," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10200809.
- [15]. I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [16]. G. Karthikeyan, D. T. G, R. Anusuya, K. K. G, J. T and R. T. Prabu, "Real-Time Sidewalk Crack Identification and Classification based on Convolutional Neural Network using Thermal Images," 2022 International Conference on Automation, Computing and Renewable Systems (ICACRS), Pudukkottai, India, 2022, pp. 1266-1274, doi: 10.1109/ICACRS55517.2022.10029202.
- [17]. R. Meena, T. Kavitha, A. K. S, D. M. Mathew, R. Anusuya and G. Karthik, "Extracting Behavioral Characteristics of College Students Using Data Mining on Big Data," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10084276.
- [18]. S. Bharathi, A. Balaji, D. Irene, J. C. Kalaivanan and R. Anusuya, "An Efficient Liver Disease Prediction based on Deep Convolutional Neural Network using Biopsy Images," 2022 3rd International Conference on Smart Electronics and Communication (ICOSEC), Trichy, India, 2022, pp. 1141-1147, doi: 10.1109/ICOSEC54921.2022.9951870.
- [19]. I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [20]. Revathi, S., et al. "Developing an Infant Monitoring System using IoT (INMOS)." *International Scientific Journal of Contemporary Research in Engineering Science and Management* 6.1 (2021): 111-115.
- [21]. J.R.Arunkumar, Dr.E.Muthukumar, | A Novel Method to Improve AODV Protocol for WSN| in *Journal of Engineering Sciences| ISSN NO: 0377-9254| Volume 3, Issue 1, Jul 2012.*
- [22]. R. S. Vignesh, A. Kumar S, T. M. Amirthalakshmi, P. Delphy, J. R. Arunkumar and S. Kamatchi, "An Efficient and Intelligent Systems for Internet of Things Based Health Observance System for Covid 19 Patients," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084066.
- [23]. I. Chandra, K. V. Karthikeyan, R. V, S. K, M. Tamilselvi and J. R. Arunkumar, "A Robust and Efficient Computational Offloading and Task Scheduling Model in Mobile Cloud Computing," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084293.
- [24]. R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [25]. J. R. Arunkumar, and R. Anusuya, "OCHRE: A Methodology for the Deployment of Sensor Networks." *American Journal of Computing Research Repository*, vol. 3, no. 1 (2015): 5-8.