

# Identifying Study On Object Detection Using Computer Vision OpenCV techniques

Manisa Gupta , Kuchi Garg

Assistant Professor, venkateshwara College of Engineering, EEE Dept, Kannor, India

## Article Information

Received : 10 Dec 2024  
Revised : 13 Dec 2024  
Accepted : 15 Dec 2024  
Published : 17 Dec 2024

## Corresponding Author:

G.

**Abstract**— This paper Many applications in computer vision they need precise and efficient detection systems. This demand coincides with the rise of the application of deep learning techniques in almost all areas of machine learning and artificial vision. This work presents a study that encompasses different detection systems based on deep learning, providing a unified comparison between different frameworks in order to carry out a technical comparison of the performance measures of the studied methods Many applications in computer vision they need precise and efficient detection systems. This demand coincides with the rise of the application of deep learning techniques in almost all areas of machine learning and artificial vision. This work presents a study that encompasses different detection systems based on deep learning, providing a unified comparison between different frameworks in order to carry out a technical comparison of the performance measures of the studied methods

**Keywords:** *Object Detection, Computer Vision, OpenCV*

**Copyright © 2024: Manisa Gupta , Kuchi Garg,** This is an open access distribution, and reproduction in any medium, provided Access article distributed under the Creative Commons Attribution License the original work is properly cited License, which permits unrestricted use.

**Citation: Manisa Gupta , Kuchi Garg,** “Identifying Study On Object Detection Using Computer Vision OpenCV techniques”, Journal of Science, Computing and Engineering Research, 7(12), December 2024.

## I. INTRODUCTION

Object detection is one of the most researched computer vision tasks, where Convolutional Neural Networks (CNNs) are currently showing very high performance. CNNs are built from many layers of intrinsically connected neurons in a model inspired by the hierarchical organization of the human cerebral cortex. Neurons act as a basic unit in learning and extracting features from input. The performance of the learning and the extraction of characteristics of the input is improved with the increase of the complexity of the networks which is mainly caused by the depth of the neuron layers. Deep learning techniques or Deep Learning (DL) in general, and particularly CNNs, They are capable of automatically learning, from generic input images, data with multiple levels of abstraction due to the deep architecture that facilitates the model's capture and generalization process of the filtering mechanism by performing convolution operations in the image domain. In the literature you can find many high performance CNNs such as AlexNet [1], VGG [1], GoogleNet [2], ResNet [3], etc. Some like [2], have been shown to exceed the precision of the human eye in certain object recognition tasks. Despite the popularity of other methods, DL-based methods are outperforming other traditional computer vision techniques by a wide margin in terms of precision and sometimes even efficiency [4]. However, the changing state of the DL produced by a lack of unifying works and reviews of the state of the art, make Getting started in this field tedious and difficult to keep up

to date. Consequently, the below are the elaboration about frameworks which is regressively used for object detection. A. Tensor flow Tensorflow is an open source library developed for high performance in numerical computation. It has a flexible architecture and allows easy development fast computing for platforms such as CPUs, GPUs or TPUs. And it's easily scalable which allows it to function from computers to server clusters. It originates from the developers, researchers, and engineers at Google Brain with Google's artificial intelligence organization. This provides great support Strong for Machine Learning and Deep Learning, although the flexibility that this brings Computing is used in many other scientific fields [6]. B. Pytorch Pytorch is an open source library based on the Torch architecture, being thus a scientific computing package based on python, with special emphasis on the use of GPU. Since this library was launched in 2016 by Facebook, many researchers have opted to use it because it provides this ability to perform complex calculations of tensors with great GPU acceleration support and ease of cementing deep neural network of enormous complexity [7]. C. Darknet-YOLO Darknet is a framework developed in C ++ language oriented to the design, training and execution of deep neural networks destined to the detection and classification of objects in 2D images [8]. The main advantages of this system are its simplicity in terms of use, small size, ease of compilation, and clear and concise online documentation. All of them make Darknet-YOLO an easy system to use as

soon as it is installed. Also noteworthy is its ability to use NVIDIA's CUDA framework, which allows the system to use the computing power of the GPUs to carry out both training and validation processes

Object detection is one of the most researched computer vision tasks, where Convolutional Neural Networks (CNNs) are currently showing very high performance. CNNs are built from many layers of intrinsically connected neurons in a model inspired by the hierarchical organization of the human cerebral cortex. Neurons act as a basic unit in learning and extracting features from input. The performance of the learning and the extraction of characteristics of the input is improved with the increase of the complexity of the networks which is mainly caused by the depth of the neuron layers. Deep learning techniques or Deep Learning (DL) in general, and particularly CNNs, They are capable of automatically learning, from generic input images, data with multiple levels of abstraction due to the deep architecture that facilitates the model's capture and generalization process of the filtering mechanism by performing convolution operations in the image domain. In the literature you can find many high performance CNNs such as AlexNet [1], VGG [1], GoogleNet [2], ResNet [3], etc. Some like [2], have been shown to exceed the precision of the human eye in certain object recognition tasks. Despite the popularity of other methods, DL-based methods are outperforming other traditional computer vision techniques by a wide margin in terms of precision and sometimes even efficiency [4]. However, the changing state of the DL produced by a lack of unifying works and reviews of the state of the art, make Getting started in this field tedious and difficult to keep up to date. Consequently, the below are the elaboration about frameworks which is regressively used for object detection.

A. Tensor flow Tensorflow is an open source library developed for high performance in numerical computation. It has a flexible architecture and allows easy development fast computing for platforms such as CPUs, GPUs or TPUs. And it's easily scalable which allows it to function from computers to server clusters. It originates from the developers, researchers, and engineers at Google Brain with Google's artificial intelligence organization. This provides great support Strong for Machine Learning and Deep Learning, although the flexibility that this brings Computing is used in many other scientific fields [6].

B. Pytorch Pytorch is an open source library based on the Torch architecture, being thus a scientific computing package based on python, with special emphasis on the use of GPU. Since this library was launched in 2016 by Facebook, many researchers have opted to use it because it provides this ability to perform complex calculations of tensors with great GPU acceleration support and ease of cementing deep neural network of enormous complexity [7].

C. Darknet-YOLO Darknet is a framework developed in C++ language oriented to the design, training and execution of deep neural

networks destined to the detection and classification of objects in 2D images [8]. The main advantages of this system are its simplicity in terms of use, small size, ease of compilation, and clear and concise online documentation. All of them make Darknet-YOLO an easy system to use as soon as it is installed. Also noteworthy is its ability to use NVIDIA's CUDA framework, which allows the system to use the computing power of the GPUs to carry out both training and validation processes

Object detection is one of the most researched computer vision tasks, where Convolutional Neural Networks (CNNs) are currently showing very high performance. CNNs are built from many layers of intrinsically connected neurons in a model inspired by the hierarchical organization of the human cerebral cortex. Neurons act as a basic unit in learning and extracting features from input. The performance of the learning and the extraction of characteristics of the input is improved with the increase of the complexity of the networks which is mainly caused by the depth of the neuron layers. Deep learning techniques or Deep Learning (DL) in general, and particularly CNNs, They are capable of automatically learning, from generic input images, data with multiple levels of abstraction due to the deep architecture that facilitates the model's capture and generalization process of the filtering mechanism by performing convolution operations in the image domain. In the literature you can find many high performance CNNs such as AlexNet [1], VGG [1], GoogleNet [2], ResNet [3], etc. Some like [2], have been shown to exceed the precision of the human eye in certain object recognition tasks. Despite the popularity of other methods, DL-based methods are outperforming other traditional computer vision techniques by a wide margin in terms of precision and sometimes even efficiency [4]. However, the changing state of the DL produced by a lack of unifying works and reviews of the state of the art, make Getting started in this field tedious and difficult to keep up to date. Consequently, the below are the elaboration about frameworks which is regressively used for object detection.

A. Tensor flow Tensorflow is an open source library developed for high performance in numerical computation. It has a flexible architecture and allows easy development fast computing for platforms such as CPUs, GPUs or TPUs. And it's easily scalable which allows it to function from computers to server clusters. It originates from the developers, researchers, and engineers at Google Brain with Google's artificial intelligence organization. This provides great support Strong for Machine Learning and Deep Learning, although the flexibility that this brings Computing is used in many other scientific fields [6].

B. Pytorch Pytorch is an open source library based on the Torch architecture, being thus a scientific computing package based on python, with special emphasis on the use of GPU. Since this library was launched in 2016 by Facebook, many researchers have opted to use it because it provides this

ability to perform complex calculations of tensors with great GPU acceleration support and ease of cementing deep neural network of enormous complexity [7]. C. Darknet-YOLO Darknet is a framework developed in C++ language oriented to the design, training and execution of deep neural networks destined to the detection and classification of objects in 2D images [8]. The main advantages of this system are its simplicity in terms of use, small size, ease of compilation, and clear and concise online documentation. All of them make Darknet-YOLO an easy system to use as soon as it is installed. Also noteworthy is its ability to use NVIDIA's CUDA framework, which allows the system to use the computing power of the GPUs to carry out both training and validation processes

## II. RELATED WORKS

A. Computer Vision Computer Vision is an engineering discipline which is used to obtain Useful information from captured images. The way to do it is by through the use of different techniques to acquire, process, analyze and understand the information that is in an image. [11- 13]. One of the most used attributes in computer vision systems is the detection of objects. the detection by means of characteristics of objects and, more recently, the use of neural networks or systems of learning. Of the three methods mentioned above, the background removal method is the only one that does not require prior training to determine which objects should detect. Next, we will see an overview of the operation of each of the methods, as well as the advantages and disadvantages that each of these present.

B. Object Detection by Background Elimination. This method of object detection is one of the most famous due to the simplicity in which works and because this method is able to detect objects moving precisely. The operation of this method is to provide or generate which is the background of the image to detect, for example, if the camera to be used is static, it is possible to obtain an image of the captured scene that does not contain any of the objects to be detected, otherwise the program must be able to generate and identify which is the background of the image of the objects that move through it. However, this method presents several problems, such as that the program is not able to differentiate between the detected objects, in addition to changes in light and the slightest change on the position of the image may affect the way of detection. [14] [15] [16] differentiate between detected objects, as well as changes in light and the slightest change on the image position may affect the way of detection. [14][15] [16]. C. Object Detection by means of HAAR Classifiers. The detection of objects by means of HAAR classifiers consists mainly in the use of recognition cascades of the HAAR characteristics to learn to detect the edges and corners of a specific type of object. The HAAR characteristics are obtained by using a pair of adjacent rectangular geometric shapes of the same size to obtain the difference in the contrast between both,

this difference is obtained by adding the contrast of each of the pixels contained in each of the rectangles and then simply the difference between the two is obtained. This process is performed on the entire image by moving the used rectangles pixel by pixel and reanalyzing the image by changing the size and shape of the used rectangles, in this way it is possible to detect objects of different sizes and shapes. Finally a filter is applied which limits the minimum value to eliminate the possibility of obtaining noise. [17] [18] [19].



Fig. 1: Example of object detection by background removal

In fig 1, the original image is seen in the upper left before going through the object detection algorithm. In the upper right image the result is shown after comparing the original image with the previously defined image as the background of the image, in this it can be seen that the detector has found several subjects, however one of them is not completely defined, the result of this is the lower right image in which you can see a more defined image of the objects detected and with a significantly lower amount of noise than in the previous images.

C. Object Detection by means of HAAR Classifiers. The detection of objects by means of HAAR classifiers consists mainly in the use of recognition cascades of the HAAR characteristics to learn to detect the edges and corners of a specific type of object. The HAAR characteristics are obtained by using a pair of adjacent rectangular geometric shapes of the same size to obtain the difference in the contrast between both, this difference is obtained by adding the contrast of each of the pixels contained in each of the rectangles and then simply the difference between the two is obtained. This process is performed on the entire image by moving the used rectangles pixel by pixel and reanalyzing the image by changing the size and shape of the used

rectangles, in this way it is possible to detect objects of different sizes and shapes. Finally a filter is applied which limits the minimum value to eliminate the possibility of obtaining noise. [17] [18] [19]. C. Object Detection by means of HAAR Classifiers. The detection of objects by means of HAAR classifiers consists mainly in the use of recognition cascades of the HAAR characteristics to learn to detect the edges and corners of a specific type of object. The HAAR characteristics are obtained by using a pair of adjacent rectangular geometric shapes of the same size to obtain the difference in the contrast between both, this difference is obtained by adding the contrast of each of the pixels contained in each of the rectangles and then simply the difference between the two is obtained. This process is performed on the entire image by moving the used rectangles pixel by pixel and reanalyzing the image by changing the size and shape of the used rectangles, in this way it is possible to detect objects of different sizes and shapes. Finally a filter is applied which limits the minimum value to eliminate the possibility of obtaining noise. [17] [18] [19].




Fig. 2: Examples of HAAR Characteristics

This type of object detector has the advantage that the detection becomes more accurate, in compared to background removal method, because the HAAR method will only identify those objects that you want to detect. The reason for this is that a previous training using hundreds or thousands of images containing only the objects that necessary, which significantly reduces the number of objects that are detected at the time to run the algorithm. However, one of the disadvantages of using this method is in the fact that the use of this algorithm is susceptible to changes in the illumination of the image to be analyzed, since this can cause false detections or that it is incapable of detect objects. This is mainly due to various factors related to the images used during training (quality of the image used, contrast, luminosity, position of the object, among

others) establish which are the patterns that define the most prominent characteristics of each of the object classes and, once obtained these class patterns, use the patterns obtained during training to be able to identify in any other image to see if there is a match between these and the image. [17] [18]. Fig. 3: Recognizing HAAR Features in an Image D. Object Detection using YOLO (You Only Look Once) YOLO is an object detection and classification method which involves the use of convolutional neural networks, or CNN for its acronym in English (Convolutional Neuronal Network), to perform the detection. Compared to other types of methods which use convolutional neural networks, YOLO only requires a single layer neural network, instead of using several layers as in the case of the RCNN (Region with Convolutional Neural Network) system and its derivatives, which makes the operation of this much faster. The operation of YOLO is as follows, each frame of the video is divided into a grid of size  $S \times S$ , where each of the divided regions is subjected to an analysis to the neural network, where each neuron of the single layer corresponds to each member of the classes in which the system has been previously trained, this in order to know to which class each detected object belongs in each of the cells, how exact the detected classification is and at the same time determines the detection box of each of the objects. [19] [20] [21] [22] [23] [24].

### III. BACKGROUND OF STUDY

This type of object detector has the advantage that the detection becomes more accurate, in compared to background removal method, because the HAAR method will only identify those objects that you want to detect. The reason for this is that a previous training using hundreds or thousands of images containing only the objects that necessary, which significantly reduces the number of objects that are detected at the time to run the algorithm. However, one of the disadvantages of using this method is in the fact that the use of this algorithm is susceptible to changes in the illumination of the image to be analyzed, since this can cause false detections or that it is incapable of detect objects. This is mainly due to various factors related to the images used during training (quality of the image used, contrast, luminosity, position of the object, among others) establish which are the patterns that define the most prominent characteristics of each of the object classes and, once obtained these class patterns, use the patterns obtained during training to be able to identify in any other image to see if there is a match between these and the image. [17] [18]. Fig. 3: Recognizing HAAR Features in an Image D. Object Detection using YOLO (You Only Look Once) YOLO is an object detection and classification method which involves the use of convolutional neural networks, or CNN for its acronym in English (Convolutional Neuronal

Network), to perform the detection. Compared to other types of methods which use convolutional neural networks, YOLO only requires a single layer neural network, instead of using several layers as in the case of the RCNN (Region with Convolutional Neural Network) system and its derivatives, which makes the operation of this much faster. The operation of YOLO is as follows, each frame of the video is divided into a grid of size  $S \times S$ , where each of the divided regions is subjected to an analysis to the neural network, where each neuron of the single layer corresponds to each member of the classes in which the system has been previously trained, this in order to know to which class each detected object belongs in each of the cells, how exact the detected classification is and at the same time determines the detection box of each of the objects. [19] [20] [21] [22] [23] [24].




Fig. 3: Recognizing HAAR Features in an Image

#### D. Object Detection using YOLO (You Only Look Once)

D. Object Detection using YOLO (You Only Look Once) YOLO is an object detection and classification method which involves the use of convolutional neural networks, or CNN for its acronym in English (Convolutional Neuronal Network), to perform the detection. Compared to other types of methods which use convolutional neural networks, YOLO only requires a single layer neural network, instead of using several layers as in the case of the RCNN (Region with Convolutional Neural Network) system and its derivatives, which makes the operation of this much faster. The operation of YOLO is as follows, each frame of the video is divided into a grid of size  $S \times S$ , where each of the divided regions is subjected to an analysis to the neural network, where each neuron of the single layer corresponds to each member of the classes in which the system has been previously trained, this in order to know to which class each detected object belongs in each of the cells, how exact the detected classification is and at the same time determines the detection box of each of the objects. [19] [20] [21] [22] [23] [24]. The advantages of this detection method are the

speed and precision in the detection and classification of the objects to be detected as long as they are within the classes in which the program has been trained, this is

D. Object Detection using YOLO (You Only Look Once) YOLO is an object detection and classification method which involves the use of convolutional neural networks, or CNN for its acronym in English (Convolutional Neuronal Network), to perform the detection. Compared to other types of methods which use convolutional neural networks, YOLO only requires a single layer neural network, instead of using several layers as in the case of the RCNN (Region with Convolutional Neural Network) system and its derivatives, which makes the operation of this much faster. The operation of YOLO is as follows, each frame of the video is divided into a grid of size  $S \times S$ , where each of the divided regions is subjected to an analysis to the neural network, where each neuron of the single layer corresponds to each member of the classes in which the system has been previously trained, this in order to know to which class each detected object belongs in each of the cells, how exact the detected classification is and at the same time determines the detection box of each of the objects. [19] [20] [21] [22] [23] [24]. The advantages of this detection method are the speed and precision in the detection and classification of the objects to be detected as long as they are within the classes in which the program has been trained, this is

achieved since the system gives an accuracy value to each detected object which corresponds to the classes with which it finds similarities, so it is possible to reduce the number of detections incorrect when setting the desired accuracy limit value. The disadvantages of this method can be several, one of which involves the training part, since if a training is carried out with a poor image set, the detection is likely to fail, in addition to this, if the number of classes used in the training is very long, this can cause the system to take longer to perform the detection. On the other hand, as the system uses each of the regions in which it is initially divided to perform the detection and the creation of the detection box, if the size of the object is too small

achieved since the system gives an accuracy value to each detected object which corresponds to the classes with which it finds similarities, so it is possible to reduce the number of detections incorrect when setting the desired accuracy limit value. The disadvantages of this method can be several, one of which involves the training part, since if a training is carried out with a poor image set, the detection is likely to fail, in addition to this, if the number of classes used in the training is very long, this can cause the system to take longer to perform the detection. On the other hand, as the system uses each of the regions in which it is initially

divided to perform the detection and the creation of the detection box, if the size of the object is too small

#### IV. CONCLUSION

Theoretical considering the existence of various types of neural networks and their use in various professional fields, the systematization and consolidation of theoretical information has been carried out from the necessary approach to be able to design a predictive model for the early detection of various objects and entities using Deep Learning and Computational Vision. Currently there are many investigations for the detection of various objects using neural networks, the present work seeks to obtain the best theoretical / practical knowledge of works already carried out, to obtain the best results and be the basis for future research that can expand the general purpose. Likewise, it is considered that the analyzes carried out based on the images obtained by international and national data sets offer a higher precision index, in order to obtain better results in the early detection of various objects using Computer Vision.

#### REFERENCES

- [1]. P. Nirmala, T. Manimegalai, J. R. Arunkumar, S. Vimala, G. Vinoth Rajkumar, Raja Raju, "A Mechanism for Detecting the Intruder in the Network through a Stacking Dilated CNN Model", *Wireless Communications and Mobile Computing*, vol. 2022, Article ID 1955009, 13 pages, 2022. <https://doi.org/10.1155/2022/1955009>.
- [2]. D. Sathyanarayanan, T. S. Reddy, A. Sathish, P. Geetha, J. R. Arunkumar and S. P. K. Deepak, "American Sign Language Recognition System for Numerical and Alphabets," 2023 International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE), Chennai, India, 2023, pp. 1-6, doi: 10.1109/RMKMATE59243.2023.10369455.
- [3]. J. R. Arunkumar, Tagele berihun Mengist, 2020" Developing Ethiopian Yirgacheffe Coffee Grading Model using a Deep Learning Classifier" *International Journal of Innovative Technology and Exploring Engineering (IJITEE)* ISSN: 2278-3075, Volume-9 Issue-4, February 2020. DOI: 10.35940/ijitee.D1823.029420.
- [4]. Ashwini, S., Arunkumar, J.R., Prabu, R.T. et al. Diagnosis and multi-classification of lung diseases in CXR images using optimized deep convolutional neural network. *Soft Comput* (2023). <https://doi.org/10.1007/s00500-023-09480-3>
- [5]. J.R.Arunkumar, Dr.E.Muthukumar," A Novel Method to Improve AODV Protocol for WSN" in *Journal of Engineering Sciences*" ISSN NO: 0377-9254 Volume 3, Issue 1, Jul 2012.
- [6]. R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [7]. Arunkumar, J. R. "Study Analysis of Cloud Security Challenges and Issues in Cloud Computing Technologies." *Journal of Science, Computing and Engineering Research* 6.8 (2023): 06-10.
- [8]. J. R. Arunkumar, R. Raman, S. Sivakumar and R. Pavithra, "Wearable Devices for Patient Monitoring System using IoT," 2023 8th International Conference on Communication and Electronics Systems (ICCES), Coimbatore, India, 2023, pp. 381-385, doi: 10.1109/ICCES57224.2023.10192741.
- [9]. S. Sugumaran, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [10]. R. S. Vignesh, V. Chinnammal, Gururaj, D, A. K. Kumar, K. V. Karthikeyan and J. R. Arunkumar, "Secured Data Access and Control Abilities Management over Cloud Environment using Novel Cryptographic Principles," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199616.
- [11]. Syamala, M., Anusuya, R., Sonkar, S.K. et al. Big data analytics for dynamic network slicing in 5G and beyond with dynamic user preferences. *Opt Quant Electron* 56, 61 (2024). <https://doi.org/10.1007/s11082-023-05663-2>
- [12]. Krishna Veni, S. R., and R. Anusuya. "Design and Study Analysis Automated Recognition system of Fake Currency Notes." *Journal of Science, Computing and Engineering Research* 6.6 (2023): 16-20.
- [13]. V. RamKumar, S. Shanthi, K. S. Kumar, S. Kanageswari, S. Mahalakshmi and R. Anusuya, "Internet of Things Assisted Remote Health and Safety Monitoring Scheme Using Intelligent Sensors," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199766.
- [14]. R. S. Vignesh, R. Sankar, A. Balaji, K. S. Kumar, V. Sharmila Bhargavi and R. Anusuya, "IoT Assisted Drunk and Drive People Identification to Avoid Accidents and Ensure Road Safety Measures," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10200809.
- [15]. I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [16]. G. Karthikeyan, D. T. G, R. Anusuya, K. K. G, J. T and R. T. Prabu, "Real-Time Sidewalk Crack Identification and Classification based on Convolutional Neural Network using Thermal Images," 2022 International Conference on Automation, Computing and Renewable Systems (ICACRS), Pudukkottai, India, 2022, pp. 1266-1274, doi: 10.1109/ICACRS55517.2022.10029202.
- [17]. R. Meena, T. Kavitha, A. K. S, D. M. Mathew, R. Anusuya and G. Karthik, "Extracting Behavioral Characteristics of

- College Students Using Data Mining on Big Data," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10084276.
- [18].S. Bharathi, A. Balaji, D. Irene. J, C. Kalaivanan and R. Anusuya, "An Efficient Liver Disease Prediction based on Deep Convolutional Neural Network using Biopsy Images," 2022 3rd International Conference on Smart Electronics and Communication (ICOSEC), Trichy, India, 2022, pp. 1141-1147, doi: 10.1109/ICOSEC54921.2022.9951870.
- [19].I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [20].Revathi, S., et al. "Developing an Infant Monitoring System using IoT (INMOS)." International Scientific Journal of Contemporary Research in Engineering Science and Management 6.1 (2021): 111-115.
- [21].R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakshini, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [22].J.R.Arunkumar. "Comprehensice Analysis of Security Issues in Cloud Computing Technologies", Journal of Science,Computing and Engineering Research, 6(5), 06-10, June 2023.
- [23].S. Sugumar, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [24].I. Chandra, K. V. Karthikeyan, R. V, S. K, M. Tamilselvi and J. R. Arunkumar, "A Robust and Efficient Computational Offloading and Task Scheduling Model in Mobile Cloud Computing," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084293.
- [25].R. S. Vignesh, A. Kumar S, T. M. Amirthalakshmi, P. Delphy, J. R. Arunkumar and S. Kamatchi, "An Efficient and Intelligent Systems for Internet of Things Based Health Observance System for Covid 19 Patients," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084066.
- [26].DC Jullie Josephine, J Sudhakar, T Helan Vidhya, R Anusuya, G Ramkumar,"An Improved Multi class Breast cancer classification and Abnormality Detection based on Modified Deep Learning Neural Network Principles", Deep Learning in Biomedical Signal and Medical Imaging, CRC Press, Taylor and Francis, 2024.
- [27].R. Anusuya, Pragma Vashishtha, "Real Automatic Number Plate Image Detection With Yolo Algorithms", Journal of Science, Computing and Engineering Research, 7(7), July 2024.