

# Comparative Study Article of Flat Slab Clip Wall Interface For Multistorey Construction Under Seismic Lading

Purav Karan, H.H. Duggu, S. Mithran

Assistant Professor, Jerusalem College of Engineering, India

## Article Information

Received : 10 Dec 2024  
Revised : 13 Dec 2024  
Accepted : 15 Dec 2024  
Published : 17 Dec 2024

## Corresponding Author:

S. Mithran

**Abstract**— - The aim of the present study is to compare the behavior of multi-storey building having flat slab with or without shear walls and to analyze the effect of building height on the performance under earthquake forces. Also effect of with or without shear wall for flat slab building on seismic behavior with varying thickness and varying position of shear wall are studied. In this work, the effects of varying seismic zones on these buildings are also carried out. For that, G+9 and G+19 Storey models, each of plan size 20X20m are selected. For stabilization of the variable parameters, shear wall are provided at corners, center and along the periphery. To study the effect of varying thickness and different location of shear wall on flat slab multi-storey building, static analysis (Equivalent Static Analysis) in software STAAD Pro is carried out for zone IV and V. The seismic parametric studies comprise of lateral displacement, storey drift, drift reduction factor and contribution factor.

**Keywords:** *Lateral displacement, Storey drift, Drift reduction factor, Contribution factor. Flat Slab, Shear Wall*

**Copyright © 2024: Purav Karan, H.H. Duggu, S. Mithran,** This is an open access distribution, and reproduction in any medium, provided Access article distributed under the Creative Commons Attribution License the original work is properly cited License, which permits unrestricted use.

**Citation: Purav Karan, H.H. Duggu, S. Mithran,** “Comparative Study Article of Flat Slab Clip Wall Interface For Multistorey Construction Under Seismic Lading”, Journal of Science, Computing and Engineering Research, 7(12), December 2024.

## I. INTRODUCTION

One of the major problems in the modern construction world is the problem of vacant land. This scarcity in urban areas has led to the vertical construction growth of low-rise, medium-rise, tall buildings and even sky-scraper (over 50 meters tall). These buildings generally used Framed Structures subjected to the vertical as well as lateral loads. In these structures, the lateral loads from strong winds and earthquakes are the main concerns to keep in mind while designing rather than the vertical loads caused by the structure itself.

These both factors may be inversely proportional to each other as the building which is designed for sustaining vertical loads may not have the capacity to sustain or resist the above mentioned lateral loads. The lateral loads are the foremost ones as they are in contrast against one another as the vertical loads are supposed to increase linearly with height; on the other hand lateral loads are fairly variable and increase rapidly with height.

When lateral loads of a uniform wind or an earthquake load arrives the overturning moment at base of the structure is humongous and varies proportionally to square of the building height. This causes the building to act as cantilever as these lateral loads are notably higher in the topmost storey rather than the bottom storey. These lateral forces from the sideways tend to sway the frame. The seismic

prone areas where the chances of earthquakes are comparatively higher the buildings collapsed which have not been designed in concern to these seismic loads. All these above mentioned reactions make it very important to study the causes and effects of lateral loads.

**Flat Slab:** In general practice of design and construction, the slabs are supported by beams and beams are supported by columns. This type of construction may be called as beam-slab construction. The available net ceiling height is reduced because of the beams. Therefore offices, warehouses, public halls and tall buildings are sometimes designed without beams and slabs are directly rest on columns.

This type of beamless slab construction called as flat slab, in which slab supported directly by columns without beams. For engineers, flat slabs construction give reduced floor height and for architectures, it give aesthetically and beautiful appearance. So as to reduce the punching shear present in slabs, the column head is sometimes widened. These widened portions are known as column heads. The columns head are provided with some angle from the consideration point of architecture but for effective design, the portion of concrete at 45° on either side of vertical is considered only. The moments in the slab are more near to supporting column. That is why the slab is often thickened closed to the columns by providing drops. Flat slab is enlarged and thickened so as to increase the perimeter of the

critical section, to provide enough strength in shear and to lessen the amount

of negative reinforcement in the support regions. These enlargements are known as capital of the column. 1.2 Shear Wall: The shear wall is a structural element used to resist the earthquake forces or the forces parallel to the plane of wall. Generally, it is provided in tall buildings to avoid total collapse of the structure under seismic loads. We can control the side bending of structure, by providing shear wall. The shear wall will devour shear forces and prevents the location position of construction from changing and consequently destruction. But one thing must be given importance that the shear wall arrangement must be supremely accurate, if not the resultant will give a negative effect instead.

The shear wall comprises of braced panels (shear panels) to counter lateral load effects acting on a structure. Seismic loads and wind is amongst the most common loads that shear wall designed to carry. When shear wall is build, it is constructed in line form of heavily braced and reinforced panels. This is why they are also known as braced wall lines in some region. The wall perfectly connects two exterior walls and braces other shear walls in the structure. Bracing is achieved with heavy timbers and metal brackets or support beams that keep the wall steady and strong. The shear walls are now a vital part of mid and high rise buildings. A building to be an earthquake resistant design, these walls are positioned in the building plans which reduces lateral displacements under seismic loads. Thus shear wall frame structures are attained

## II. LITERATURE REVIEW

Durgesh Neve, et.al (2016) In this project, study of G+8 storey hospital building in Zone III is presented with some investigation which is analyzed by replacing complete columns by shear walls for determining parameters like storey drift, storey shear and displacement and is done by using Etabs software Salman I Khan et.al (2015) presents the review of comparative study of multistoried RCC building with grid slab and flat slab for their seismic performance. They concluded that the seismic behavior of structures with grid slab and flat slab are comparable but the differences exist. High rise structures with flat slab has less base shear and they are weaker than grid slab system. In case of flat slab structure, additional moments were developed as storey drift was more. Therefore, columns of such structure are designed by considering these additional moments due to drift. Manu K V1 et.al (2015) Recently, Flat slab buildings are commonly used for the construction because use of flat slab building provides many advantages over conventional RC Frame building in terms of economical, use of space, easier formwork, architectural flexibility and importantly shorter construction time. The structural efficiency of the Flat slab construction is most difficult by its poor

performance under earthquake loading. It is necessary to analyse seismic behaviour of buildings for various heights to see what are the changes are going to occur for the conventional RC frame building, flat slab building with and without drops Sumit Pawahet.al (2014) this investigation also told us about seismic behavior of heavy slab without end restrained. For stabilization of variable parameter shear wall are provided at corner from bottom to top for calculation. Results is comprises of study of 36 models, for each plan size, 18 models are analyzed for varying seismic zone. Umesh N. Karadi et.al (2013) In this, study of 25 storey building in the zone V was presented with some investigation that was analyzed by changing locations of shear wall for finding parameters like storey shear, storey drift and displacement. The analysis had been executed by using software ETAB. 3D building model were created for both linear static and dynamic method of analysis and influence of the concrete core wall provided at centre of building. Prof K S Sable, et.al (2012) focused on tall commercial buildings which are mainly a response to demand by business actions to be as close to each other, and to city centre as possible, thus putting severe pressure on available land space. Structures with a great degree of indeterminacy are greater to one with less indeterminacy, because of more members are monolithically connected to one another and if yielding take place in whichever one of them, subsequently a redistribution of forces takes place. So it is essential to analyze seismic behavior of building for different altitudes to see what changes are going to happen if the height of traditional building and flat slab building changes. N.F. El-Leithy et.al (2011) investigates the most common structural systems which are used for RC tall buildings under the action of wind and gravity loads. These systems include "Rigid Frame", "Wall Frame Interaction", "Shear wall/Central Core", "Tube in Tube" and "Outrigger". The fundamental modeling technique and postulations are made by "ETABS" Program in 3D modeling

## III. CONCLUSION

The various research and studies shows the different merits of flat slabs & shear walls. In some cases flat slabs are lacking due to its less stiffness and shear strength where as the

conventional slabs steps ahead due to its less flexibility. The additional structure like shear wall, bracings and retrofitings helps in reducing the story drift, base shear, lateral displacement to some extent. Likewise the components of flat slabs like drop panel and column heads also plays a vital role in minimizing the seismic risk to great extent. The construction of flat slab in high seismic zones is to be analysed carefully by checking the different seismic parameters like natural time period, story displacement, axial forces etc and location of shear wall is to be placed at the side center of the building to minimize the risk of

damage occurred by earthquake and wind forces in the future.

## REFERENCES

- [1]. P. Nirmala, T. Manimegalai, J. R. Arunkumar, S. Vimala, G. Vinoth Rajkumar, Raja Raju, "A Mechanism for Detecting the Intruder in the Network through a Stacking Dilated CNN Model", *Wireless Communications and Mobile Computing*, vol. 2022, Article ID 1955009, 13 pages, 2022. <https://doi.org/10.1155/2022/1955009>.
- [2]. D. Sathyanarayanan, T. S. Reddy, A. Sathish, P. Geetha, J. R. Arunkumar and S. P. K. Deepak, "American Sign Language Recognition System for Numerical and Alphabets," 2023 International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE), Chennai, India, 2023, pp. 1-6, doi: 10.1109/RMKMATE59243.2023.10369455.
- [3]. J. R. Arunkumar, Tagele berihun Mengist, 2020" Developing Ethiopian Yirgacheffe Coffee Grading Model using a Deep Learning Classifier" *International Journal of Innovative Technology and Exploring Engineering (IJITEE)* ISSN: 2278-3075, Volume-9 Issue-4, February 2020. DOI: 10.35940/ijitee.D1823.029420.
- [4]. Ashwini, S., Arunkumar, J.R., Prabu, R.T. et al. Diagnosis and multi-classification of lung diseases in CXR images using optimized deep convolutional neural network. *Soft Comput* (2023). <https://doi.org/10.1007/s00500-023-09480-3>
- [5]. J.R.Arunkumar, Dr.E.Muthukumar," A Novel Method to Improve AODV Protocol for WSN" in *Journal of Engineering Sciences*" ISSN NO: 0377-9254 Volume 3, Issue 1, Jul 2012.
- [6]. R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [7]. Arunkumar, J. R. "Study Analysis of Cloud Security Challenges and Issues in Cloud Computing Technologies." *Journal of Science, Computing and Engineering Research* 6.8 (2023): 06-10.
- [8]. J. R. Arunkumar, R. Raman, S. Sivakumar and R. Pavithra, "Wearable Devices for Patient Monitoring System using IoT," 2023 8th International Conference on Communication and Electronics Systems (ICCES), Coimbatore, India, 2023, pp. 381-385, doi: 10.1109/ICCES57224.2023.10192741.
- [9]. S. Sugumar, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [10]. R. S. Vignesh, V. Chinnammal, Gururaj.D, A. K. Kumar, K. V. Karthikeyan and J. R. Arunkumar, "Secured Data Access and Control Abilities Management over Cloud Environment using Novel Cryptographic Principles," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199616.
- [11]. Syamala, M., Anusuya, R., Sonkar, S.K. et al. Big data analytics for dynamic network slicing in 5G and beyond with dynamic user preferences. *Opt Quant Electron* 56, 61 (2024). <https://doi.org/10.1007/s11082-023-05663-2>
- [12]. Krishna Veni, S. R., and R. Anusuya. "Design and Study Analysis Automated Recognition system of Fake Currency Notes." *Journal of Science, Computing and Engineering Research* 6.6 (2023): 16-20.
- [13]. V. RamKumar, S. Shanthi, K. S. Kumar, S. Kanageswari, S. Mahalakshmi and R. Anusuya, "Internet of Things Assisted Remote Health and Safety Monitoring Scheme Using Intelligent Sensors," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199766.
- [14]. R. S. Vignesh, R. Sankar, A. Balaji, K. S. Kumar, V. Sharmila Bhargavi and R. Anusuya, "IoT Assisted Drunk and Drive People Identification to Avoid Accidents and Ensure Road Safety Measures," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10200809.
- [15]. I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [16]. G. Karthikeyan, D. T. G, R. Anusuya, K. K. G, J. T and R. T. Prabu, "Real-Time Sidewalk Crack Identification and Classification based on Convolutional Neural Network using Thermal Images," 2022 International Conference on Automation, Computing and Renewable Systems (ICACRS), Pudukkottai, India, 2022, pp. 1266-1274, doi: 10.1109/ICACRS55517.2022.10029202.
- [17]. R. Meena, T. Kavitha, A. K. S, D. M. Mathew, R. Anusuya and G. Karthik, "Extracting Behavioral Characteristics of College Students Using Data Mining on Big Data," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10084276.
- [18]. S. Bharathi, A. Balaji, D. Irene. J, C. Kalaivanan and R. Anusuya, "An Efficient Liver Disease Prediction based on Deep Convolutional Neural Network using Biopsy Images," 2022 3rd International Conference on Smart Electronics and Communication (ICOSEC), Trichy, India, 2022, pp. 1141-1147, doi: 10.1109/ICOSEC54921.2022.9951870.
- [19]. I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [20]. Revathi, S., et al. "Developing an Infant Monitoring System using IoT (INMOS)." *International Scientific Journal of*

Contemporary Research in Engineering Science and Management 6.1 (2021): 111-115.

- [21].R. K. A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [22].J.R.Arunkumar. "Comprehensice Analysis of Security Issues in Cloud Computing Technologies", Journal of Science,Computing and Engineering Research, 6(5), 06-10, June 2023.
- [23].S. Sugumaran, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [24].I. Chandra, K. V. Karthikeyan, R. V, S. K, M. Tamilselvi and J. R. Arunkumar, "A Robust and Efficient Computational Offloading and Task Scheduling Model in Mobile Cloud Computing," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084293.
- [25].R. S. Vignesh, A. Kumar S, T. M. Amirthalakshmi, P. Delphy, J. R. Arunkumar and S. Kamatchi, "An Efficient and Intelligent Systems for Internet of Things Based Health Observance System for Covid 19 Patients," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084066.
- [26].DC Jullie Josephine, J Sudhakar, T Helan Vidhya, R Anusuya, G Ramkumar,"An Improved Multi class Breast cancer classification and Abnormality Detection based on Modified Deep Learning Neural Network Principles", Deep Learning in Biomedical Signal and Medical Imaging, CRC Press, Taylor and Francis, 2024.
- [27].R. Anusuya, Pragya Vashishtha, "Real Automatic Number Plate Image Detection With Yolo Algorithms", Journal of Science, Computing and Engineering Research, 7(7), July 2024.