

IOT Based Smart Home Automation Using Voice Assistance

Suscilpa , Ram Gopi R

Dept of Electronics and communication engineering , Atria institute of technology, Bangalore,India

Article Information

Received : 02 August 2024
Revised : 06 August 2024
Accepted : 18 August 2024
Published : 22 August 2024

Corresponding Author:

Ram Gopi R

Abstract— This paper presents the comparison of proposed double tail comparator with conventional double tail and existing double tail comparator. The low power and high-speed analog to digital converters used are of dynamic regenerative comparators to maximize speed. Presenting different architectures for calculating delay and power consumption in dynamic double tail comparator. The power gating technique is used to design the proposed comparator. By using this technique, delay and power consumption is reduced compared to the conventional double tail comparator and the existing double tail comparator. The important parameters are speed and power consumption. Cadence design tools used to simulate the comparator in the 90nm technology with the supply voltage of 0.6v.

Keywords: *Dynamic latch comparator, speed, power consumption, high speed analog to digital converter.*

Copyright © 2024; Ram Gopi R, This is an open access distribution, and reproduction in any medium, provided Access article distributed under the Creative Commons Attribution License the original work is properly cited License, which permits unrestricted use.

Citation: Ram Gopi R, “IOT Based Smart Home Automation Using Voice Assistance”, Journal of Science, Computing and Engineering Research, 7(8), August 2024.

I. INTRODUCTION

The human eye is the vital part of the human visual system which provides a three dimensional, moving image, normally colored in daylight. It also extracts some features from different images that the decision is to be taken for what the image is all about. Nowadays, the computer is being trained in such a way that it can predict some specific result by taking images as input which works like the human visual system, hence it refers to as computer vision technology. Computer vision technology can be defined as the science and technology of the machines which are able to collect and analyze images or videos with the aim of extracting image features from the processed visual data and concerned with the theory behind artificial intelligence system. This system seeks to apply its theories and models for implementation of computer vision. In recent year the cameras are becoming smart as they possess standard computer hardware and required features like mobile devices. Computer vision is useful tool to move toward wide range applications with the aims of different algorithms and frameworks such as social media platforms, industrial robots, event detection, image analysis (e.g. face recognition, medical image analysis), information management systems as well as input for humancomputer interaction devices. This paper aims to review the Google's cloud vision technology which is used to compute the contents of the images through powerful machine learning processes. This solution permits users to extract some relevant information from the visual data containing image labeling, face and landmarks detection, optical character recognition (OCR). By using the REST API, it is then easy to interact with Google's cloud vision platform, called Google Cloud Vision API. In this paper we are going to exploit embedded system and software resources in order to

full fill the gap of gender detection for Google Cloud Vision technology. Here we elaborate the design and real-time implementation of the hardware as well as software solution we made by using low cost Raspberry Pi 3 model B+ board with Pi Camera module , which itself minicomputer like credit card size and like a portable device. The following embedded system includes a specialized software tool for image processing (e.g. python) . Afterward best facial features are to be introduced for training and testing the dataset in order to achieve improved gender detection performance rate for each of the dataset. A recently introduced Adience benchmark face database is to be taken for training and testing purpose. We propose that by learning representation through the use

II. RELATED WORKS

[1]Humans are equipped for deciding individual's gender generally effectively utilizing facial properties. In spite of the fact that it is trying for machines to play out a similar errand, in the previous decade mind blowing steps have been made in consequently making expectation from face picture. The venture recognizes or identifies the sexual orientation from the given face pictures. The devices utilized include Convolutional Neural Network alongside programming language like Python. The task has been roused by issues like absence of security, fakes, youngster attack, theft, an criminal recognizable proof [2]Main target of research was in spite of the rapid progress of the strategies for picture grouping, video explanation has stayed a difficult errand. Computerized video explanation

III. BACKGROUND OF STUDY

would be an achievement innovation, empowering clients to look inside the recordings. As of late, Google presented the Cloud Video Intelligence API for video

investigation. According to the site, the framework can be utilized to "separate sign from commotion, by recovering relevant information at the video, shot or per outline" level. An exhibition site has been additionally propelled, which enables anybody to choose a video for explanation. The API then detects the video marks (questions inside the video) just as shot names (portrayal of the video occasions over time). In this paper, we look at the convenience of the Google's Cloud Video Intelligence API in ill-disposed environments. In specific, we explore whether an enemy can inconspicuously control a video so that the API will return only the foe wanted names. For this, we select a picture, which is unique in relation to the video substance, and supplement it, periodically and at an extremely low rate, into the video. We found that on the off chance that we embed one picture like clockwork, the API is misled into explaining the video as though it just contained the inserted picture. [3] An application for video information investigation dependent on PC vision strategies is exhibited. The proposed framework comprises of five sequential stages: face location, face following, sex acknowledgment, age grouping and measurements examination. AdaBoost classifier is used for face location. An adjustment of Lucas and Kanade calculation is presented on the phase of following. Novel sex and age classifiers dependent on versatile highlights and bolster vector machines are proposed. Every one of the stages are joined into a solitary arrangement of crowd examination. The proposed programming complex can discover its applications in various regions, from computerized signage and video reconnaissance to programmed frameworks of mishap counteractive action and insightful human-PC interfaces. Watchwords—video investigation, face acknowledgment, AI, sex and age estimation. [4] Automatic sexual orientation recognition through facial highlights has become a basic segment in the new area of PC human perception and PC human association (HCI). Programmed sexual orientation location has various applications in the territory of recommender frameworks, centered publicizing, security and observation. Discovery of sexual orientation by utilizing the facial highlights is finished by numerous strategies, for example, Gabor wavelets, counterfeit neural systems and bolster vector machine. In this work, we have utilized the facial worldwide element separation measure as a pre-cursor to play out the help vector machine based order system to improve the exhibition results. The proposed methodology is by all accounts promising with the test performed on the front posture pictures of GTAV database of AT&T by utilizing the mat lab. The proposed strategy can be additionally assessed in future by utilizing various databases with different stances other than the frontal posture. Catchphrases Gender Classification, LaplaceGaussian Edge Detection, Interval separations, Feature Extraction, Sample Face Database. [5] Automatic age and sex grouping has turned out to be pertinent to an expanding measure of

utilizations, especially since the ascent of social stages and online networking. All things considered, execution of existing strategies on true pictures is still essentially missing, particularly when contrasted with the colossal jumps in execution as of late revealed for the related errand of face acknowledgment. In this paper we show that by learning portrayals using profound convolutional neural systems (CNN), a noteworthy increment in execution can be acquired on these undertakings. To this end, we propose a straightforward convolutional net engineering that can be utilized in any event, when the measure of learning information is restricted. We assess our strategy on the recent Adience benchmark for age and sexual orientation estimation and demonstrate it to significantly outflank current best in class strategies. [6] The face acknowledgment framework with enormous arrangements of preparing sets for individual recognizable proof typically achieves great accuracy. In this paper, we proposed Feature Extraction based Face Recognition, Gender and Age Classification (FEBFRGAC) algorithm with just little preparing sets and it yields great results even with one picture per person. This procedure includes three stages: Prepreparing, Feature Extraction and Classification. The geometric highlights of facial pictures like eyes, nose, mouth etc. are situated by utilizing Canny edge administrator and face acknowledgment is performed. In light of the surface and shape data gender and age grouping is finished utilizing Posteriori Class Probability and Artificial Neural Network individually. It is watched that the face acknowledgment is 100%, the sex and age characterization is around 98% and 94% respectively. Keywords: Age Classification, Artificial Neural Networks, Face Recognition, Gender Classification, Shape and Texture Transformation, Wrinkle Texture. [7] Nowadays the PC frameworks made a different sorts of computerized applications in close to home distinguishing proof like biometrics, face acknowledgment systems. Face check has transform into a zone of dynamic research and the applications are significant in law requirement since it tends to be managed without including the subject. All things considered, the impact of age estimation on face confirmation become a challenge to choose the similitude of pair pictures from individual faces considering extremely restricted of

IV. METHODOLOGY

information base accessibility. We centre around the improvement of picture handling and face location on face confirmation framework by improving the nature of picture quality. The main objective of the framework is to contrast the picture and the reference pictures put away as formats in the database and to decide the age and sexual orientation. [8] Support Vector Machines (SVMs) are examined for visual sexual orientation classification with low resolution "thumbnail" faces (21-by-12 pixels) prepared from 1,755

pictures from the FERET face database. The presentation of SVMs (3.4% mistake) is demonstrated to be better than conventional pattern classifiers (Linear, Quadratic, Fisher Linear Discriminant, Nearest-Neighbour) just as more modern procedures, for example, Radial Basis Function (RBF) classifiers and enormous group RBF networks. SVMs additionally out-performed human guineas pigs at a similar undertaking: in a recognition study with 30 human guineas pigs, going in age from mid-20s to mid-40s, the normal mistake rate was saw as 32% for the "thumbnails" and 6.7% with higher goals pictures. The difference execution among low and high goals tests with SVMs was just 1%, demonstrating robustness and relative scale invariance for visual classification. [9]Automatic age and sexual orientation order has turned out to be important to an expanding measure of utilizations, especially since the ascent of social stages and web based life. By the by, execution of existing strategies on certifiable pictures is still essentially missing, particularly when contrasted with the gigantic jumps in execution as of late revealed for the related undertaking of face acknowledgment. In this paper we show that by learning portrayals using profound convolutional neural systems (CNN), a noteworthy increment in execution can be acquired on these assignments. To this end, we propose a basic convolutional net design that can be utilized in any event, when the measure of learning information is constrained. We assess our technique on the ongoing Adience benchmark for age and sex estimation and demonstrate it to significantly beat current cutting edge strategies. [10] Despite the fast progress of the strategies for picture arrangement, video explanation has stayed a difficult assignment. Computerized video comment would be an achievement innovation, empowering clients to look inside the recordings. As of late, Google presented the Cloud Video Intelligence API for video investigation. According to the site, the framework can be utilized to "separate sign from commotion, by recovering important data at the video, shot or per outline" level. A show site has been likewise propelled, which enables anybody to choose a video for explanation. The API at that point identifies the video marks (questions inside the video) just as shot names (portrayal of the video occasions after some time). In this paper, we analyze the ease of use of the Google's Cloud Video Intelligence API in ill-disposed conditions. Specifically, we research whether an enemy can quietly control a video so that the API will return just the foe wanted names. For this, we select a picture, which is not quite the same as the video substance, and addition it, occasionally and at a low rate, into the video. We found that in the event that we embed one picture at regular intervals, the API is tricked into commenting on the video as though it just contained the embedded picture. Note that the change to the video is not really recognizable as, for example, for a common edge pace of 25, we embed just one picture for each 50 video outlines. We additionally found that, by

embeddings one picture for each second, all the shot names returned by the API are identified with the embedded picture. We play out the trials on the example recordings gave by the API exhibit site and show that our assault is fruitful with various recordings and pictures. [11]The efficient report one sexual orientation characterization with consequently identified and adjusted countenances.

TABLE 1:Literature Survey

Author	Year	Technique	Advantages
P.K.Sun, EterWalia,	2011	Facial Features using Computer Human Interface	Automatic Gender Detection in Areas like Advertising, Security.
H.D Vinayalapati	2011	Computer Human Interaction (HCI)	Area Of Recommendation Systems, Focus Advertising.
Perlov	2013	Video Analysis using Computer Vision Methods.	Classification Made Easier (Age, Gender, Information).
V. Khryashchev, L. Shenglit	2013	Ada Boost (Face Detection).	Digital Video Surveillance System, Accident Prevention.
Elham Arinasab	2015	Neural Network(NN).	Smart Advertisement, High Processing Power.
Malhe	2016	Google Cloud Vision REST (API).	Authorized Users can Access Users Who are Blind.
J.K. Ho, X. Zhang	2016	Google Cloud Vision, Image Recognition Technology.	Application For Blinds.
Mossini	2017	Cloud Video Intelligence (API)	Automatic Video Analysis.
Gauravani MH	2018	Feature Extraction and Training the Database Computer Vision, Machine Learning, CNN.	Authentication, Social Media, Surveillance System.
Ravathi Ramchandran Nair	2019	Facial Attributes, Convolution Neural Network Along with Programmable Language like Python	Security, Frauds, Child Molestation, Robbery, Criminal Identification

We explored different avenues regarding 120 mixes of programmed face identification, face arrangement, and sexual orientation characterization. One of the discoveries was that the programmed face arrangement strategies didn't expand the sex grouping rates. Be that as it may, manual arrangement expanded characterization rates a bit, which proposes that programmed arrangement would be helpful when the arrangement techniques are additionally improved. We additionally found that the sex arrangement techniques performed similarly well with various information picture sizes. Regardless, the best grouping rate was accomplished with a help vector machine. A neural system and Adaboost accomplished nearly as great grouping rates as the help vector machine and could be used in applications where

arrangement speed is viewed as more significant than the most extreme classification accuracy

V. CONCLUSION

Google has built up an unprecedented PC vision innovation in the most recent year which has presented a particular REST API additionally called Google Cloud Vision API. In this paper we have examined the constant use of sexual orientation location to close the hole of Google Cloud Vision innovation which has given the facial highlights as it were. Be that as it may by utilizing these highlights we have expounded our work in the bearing of CNN for execution of sex recognition to precisely anticipate the class of given information (either male or female) on modest and Visa measured processor Raspberry Pi board furnished with camera module. We accept that this task is a very inventive for the PC vision innovation. Here we have exhibited the structure of model for sexual orientation location framework which will be exceptionally useful in the field of security or express validation framework to distinguish the individual's sexual orientation. Thus, in future works, we plan to investigate our framework to distinguish the individual from their development just as their facial properties. We too plan to adjust our framework model so that to execute on wearable gadgets (for example keen glasses) outfitted with on-board camera with remotely handled the caught visual information over the cloud. IV. FUTURE SCOPE After changing the dataset, a similar model can be prepared to anticipate feeling, age, ethnicity, and so on. The sexual orientation characterization can be utilized to anticipate sex in uncontrolled constant situations, for example, railroad stations, banks, transport stops, air terminals, and so on. For instance, contingent on the quantity of male and female travelers on the railroad station, bathrooms can be built to facilitate the voyaging.

REFERENCES

- [1]. P. Nirmala, T. Manimegalai, J. R. Arunkumar, S. Vimala, G. Vinoth Rajkumar, Raja Raju, "A Mechanism for Detecting the Intruder in the Network through a Stacking Dilated CNN Model", *Wireless Communications and Mobile Computing*, vol. 2022, Article ID 1955009, 13 pages, 2022. <https://doi.org/10.1155/2022/1955009>.
- [2]. D. Sathyanarayanan, T. S. Reddy, A. Sathish, P. Geetha, J. R. Arunkumar and S. P. K. Deepak, "American Sign Language Recognition System for Numerical and Alphabets," 2023 International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE), Chennai, India, 2023, pp. 1-6, doi: 10.1109/RMKMATE59243.2023.10369455.
- [3]. J. R. Arunkumar, Taguele berihun Mengist, 2020" Developing Ethiopian Yirgacheffe Coffee Grading Model using a Deep Learning Classifier" International Journal of Innovative Technology and Exploring Engineering (IJITEE) ISSN: 2278-3075, Volume-9 Issue-4, February 2020. DOI: 10.35940/ijitee.D1823.029420.
- [4]. Ashwini, S., Arunkumar, J.R., Prabu, R.T. et al. Diagnosis and multi-classification of lung diseases in CXR images using optimized deep convolutional neural network. *Soft Comput* (2023). <https://doi.org/10.1007/s00500-023-09480-3>
- [5]. J.R.Arunkumar, Dr.E.Muthukumar," A Novel Method to Improve AODV Protocol for WSN" in *Journal of Engineering Sciences*" ISSN NO: 0377-9254 Volume 3, Issue 1, Jul 2012.
- [6]. R. K. A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [7]. Arunkumar, J. R. "Study Analysis of Cloud Security Challenges and Issues in Cloud Computing Technologies." *Journal of Science, Computing and Engineering Research* 6.8 (2023): 06-10.
- [8]. J. R. Arunkumar, R. Raman, S. Sivakumar and R. Pavithra, "Wearable Devices for Patient Monitoring System using IoT," 2023 8th International Conference on Communication and Electronics Systems (ICCES), Coimbatore, India, 2023, pp. 381-385, doi: 10.1109/ICCES57224.2023.10192741.
- [9]. S. Sugumaran, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [10]. R. S. Vignesh, V. Chinnammal, Gururaj.D, A. K. Kumar, K. V. Karthikeyan and J. R. Arunkumar, "Secured Data Access and Control Abilities Management over Cloud Environment using Novel Cryptographic Principles," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199616.
- [11]. Syamala, M., Anusuya, R., Sonkar, S.K. et al. Big data analytics for dynamic network slicing in 5G and beyond with dynamic user preferences. *Opt Quant Electron* 56, 61 (2024). <https://doi.org/10.1007/s11082-023-05663-2>
- [12]. Krishna Veni, S. R., and R. Anusuya. "Design and Study Analysis Automated Recognition system of Fake Currency Notes." *Journal of Science, Computing and Engineering Research* 6.6 (2023): 16-20.
- [13]. V. RamKumar, S. Shanthi, K. S. Kumar, S. Kanageswari, S. Mahalakshmi and R. Anusuya, "Internet of Things Assisted Remote Health and Safety Monitoring Scheme Using Intelligent Sensors," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199766.
- [14]. R. S. Vignesh, R. Sankar, A. Balaji, K. S. Kumar, V. Sharmila Bhargavi and R. Anusuya, "IoT Assisted Drunk and Drive People Identification to Avoid Accidents and Ensure Road Safety Measures," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199766.

- Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10200809.
- [15].I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [16].G. Karthikeyan, D. T. G, R. Anusuya, K. K. G, J. T and R. T. Prabu, "Real-Time Sidewalk Crack Identification and Classification based on Convolutional Neural Network using Thermal Images," 2022 International Conference on Automation, Computing and Renewable Systems (ICACRS), Pudukkottai, India, 2022, pp. 1266-1274, doi: 10.1109/ICACRS5517.2022.10029202.
- [17].R. Meena, T. Kavitha, A. K. S, D. M. Mathew, R. Anusuya and G. Karthik, "Extracting Behavioral Characteristics of College Students Using Data Mining on Big Data," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10084276.
- [18].S. Bharathi, A. Balaji, D. Irene, J, C. Kalavanan and R. Anusuya, "An Efficient Liver Disease Prediction based on Deep Convolutional Neural Network using Biopsy Images," 2022 3rd International Conference on Smart Electronics and Communication (ICOSEC), Trichy, India, 2022, pp. 1141-1147, doi: 10.1109/ICOSEC54921.2022.9951870.
- [19].I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [20].Revathi, S., et al. "Developing an Infant Monitoring System using IoT (INMOS)." International Scientific Journal of Contemporary Research in Engineering Science and Management 6.1 (2021): 111-115.
- [21].J.R.Arunkumar, Dr.E.Muthukumar,| A Novel Method to Improve AODV Protocol for WSN| in Journal of Engineering Sciences| ISSN NO: 0377-9254|Volume 3, Issue 1, Jul 2012.
- [22].R. S. Vignesh, A. Kumar S, T. M. Amirthalakshmi, P. Delphy, J. R. Arunkumar and S. Kamatchi, "An Efficient and Intelligent Systems for Internet of Things Based Health Observance System for Covid 19 Patients," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084066.
- [23].I. Chandra, K. V. Karthikeyan, R. V, S. K, M. Tamilselvi and J. R. Arunkumar, "A Robust and Efficient Computational Offloading and Task Scheduling Model in Mobile Cloud Computing," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084293.
- [24].R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [25].J. R. Arunkumar, and R. Anusuya, "OCHRE: A Methodology for the Deployment of Sensor Networks." American Journal of Computing Research Repository, vol. 3, no. 1 (2015): 5-8.