

# Enhancement of Secured Smart Home Automation Using IoT Technologies

R.Vijendra Bhookya, Nilesh Hikwad

Assistant Professor, CMR College of Engineering, EE Dept, Hyderabad, India

## Article Information

Received : 02 March 2024  
Revised : 06 March 2024  
Accepted : 08 March 2024  
Published : 10 March 2024

## Corresponding Author:

G. Mehalatha

**Abstract**—This paper deals with the design and implementation of Raspberry pi based IOT concept it means internet of things. In this present generation everything is going on internet itself. So in this project we concentrate totally on the present generation life how they can get security to their home or office and control the devices by using android app just by using internet in there smart phones. The main security is provided by camera module which captures the images and uploads into the internet and also stores the same images in Raspberry pi module SD card. Raspberry pi acts like a small minicomputer it is totally a Linux platform. By just connecting mouse and keyboard we can operate it as minicomputer where we can play games, play videos etc just like our personal laptop work. And also the WI-FI module is used in this project to control the devices from remote location also by getting the status of the devices into smart phone android app everything is going on internet itself our day to day life. Future generation will work on internet itself by sitting in one place we can do anything on internet.

**Keywords:** IOT, Wi-Fi, automation, camera, cloud, android, Raspberry pi

**Copyright © 2024 R.Vijendra Bhookya, Nilesh Hikwad**, This is an open access distribution, and reproduction in any medium, provided Access article distributed under the Creative Commons Attribution License the original work is properly cited License, which permits unrestricted use.

**Citation:** R.Vijendra Bhookya, Nilesh Hikwad, “Enhancement of Secured Smart Home Automation Using IoT Technologies”, Journal of Science, Computing and Engineering Research, 7(3), March 2024.

## I. INTRODUCTION

An embedded system is a special-purpose system in which the computer is completely encapsulated by or dedicated to the device or system it controls. Unlike a general purpose computer, such as a personal computer, an embedded system performs one or a few predefined tasks, usually with very specific requirements. Since the system is dedicated to specific tasks, design engineers can optimize it, reducing the size and cost of the product. Embedded systems are often mass-produced, benefiting from economies of scale. Personal digital assistants (PDAs) or handheld computers are generally considered embedded devices because of the nature of their hardware design, even though they are more expandable in software terms. This line of definition continues to blur as devices expand. With the introduction of the OQO Model 2 with the Windows XP operating system and ports such as a USB port — both features usually belong to "general purpose computers", — the line of nomenclature blurs even more. Physically, embedded systems ranges from portable devices such as digital watches and MP3 players, to large stationary installations like traffic lights, factory controllers, or the systems controlling nuclear power plants A custom-made Raspberry Pi will be fitted at each power points or switch boards. It will act as the control for all electrical appliances (lighting, fans, air conditioners etc). There will be no work for the user regarding his/her appliance. One has to initialize the required settings at the time of setting up of the system. After that the system will be individual and self sustained. The custom Raspberry Pi will have relays fixed on, which

will control all lighting and fans or any other electrical appliances. This board will have a Wireless connection that connects to an Internet hub. This Internet hub will be connected to the internet via LAN or Wi-Fi (Depends upon the choice of the user). As mentioned earlier the internet acts as a master since the entire control process is taken care of by an online server-side program (ASP or PHP modules). The user just has to login in to the specified webpage during the time of initialization and in case there is a need to change the automation settings. The web-page will be coded in such a way that it provides complete control to the user over the automation process such as timing and conditions for the automation process.



Figure 1.1 Expression Tree

## II. LITERATURE SURVEY

The security of one's belongings when a person leaves his/her house is always a concern with increasing number of incidents of theft, robbery etc. Many automated systems has

been developed which informs the owner in a remote location about any intrusion or attempt to intrude in the house. . However, this paper looks into the development of an ANDROID application which interprets the message a mobile device receives on possible intrusion and subsequently a reply SMS which triggers an alarm/buzzer in the remote house making others aware of the possible intrusion[1]. They can provide several useful services such as support for the elderly and disabled people, access control, environmental monitoring, and home automation. Furthermore, with the widespread diffusion of mobile devices and their integration with new auto-identification technologies, the need to control and manage the smart home through these devices is increasing. In this context, the main goal of this work is to develop and validate an architecture, both hardware and software, able to monitor and manage a KNX based home automation system through an Android mobile device in an efficient and safe way[2]. With the rapid development of mobile devices and Internet services, managing home security with these devices and services is gaining popularity. To expand the range of usability of conventional home surveillance cameras, we propose the UPnP-based Surveillance Camera System (USCS), which employs UPnP technology to search, control, and manage IP-based cameras. With UPnP, interconnected equipment and the control network inside the home can be accessed for data sharing, communication, and entertainment. However, the current UPnP was originally designed for local networks. Therefore, we integrated the UPnP control module into the Open Service Gateway Initiative (OSGi) framework to access UPnP services from a remote network. The control point is an external network that can access the UPnP device, which is hosted in a home area network via USCS. Our system showed improved searching, management, discovery, and manipulation of IP-based cameras in a home network using our system, compared to a conventional system. Users can use a mobile device to monitor the home security status in real time by a remote access function provided by OSGi. Hence, users can monitor their homes more efficiently and instantly, ensuring the safety of house members and the property[3]. The next paper is aimed to present a new idea of using the embedded system on FPGA platform with the microprocessor Micro Blaze and the real time operating system Free RTOS to control and to monitor household appliances through GPRS and using the PIR sensor to carry out monitoring break-in. Due to the strict requirements of the time constraints, the use of resources and the importance of scheduling, real time operating system (TRTOS) plays a very important role in the development of embedded systems[4].

a browser with the data and the controls necessary to begin dealing with the event. All transactions such as control signals are handled reliably through use of enterprise integration patterns. Security is based on industrial strength proven protocols including SSL. We share our experiences implementing and testing these new tools in realistic experimental environments, including projects in which our

group is involved[7]. Home automation refers to a system that is used to control devices around the home. These devices can include doors, lights, surveillance systems, and consumer electronics. A user can control a variety of home devices with the help of a home automation system. To provide mobility, a mobile phone-based home automation has been developed. As another approach toward home automation, an Internet based home automation system has been proposed, providing a graphic user interface

### III. PROPOSED SYSTEM

In the proposed system design and implementation of Secure Home Automation using Raspberry Pi for mobile devices that leverage mobile technology to provide essential security to our homes and associated control operations. The proposed home security solution hinges on our novel integration of cameras and motion detectors into web application. Raspberry Pi operates and controls motion detectors and video cameras for remote sensing and surveillance, streams live video and records it for future playback, and finally manages operations on home appliances, such as turning ON/OFF a television or microwave. For instance, when motion is detected, the cameras automatically initiate recording and the Raspberry Pi device alerts the homeowner of the possible intrusion. Raspberry Pi has two main components interacting with each other: the Web application that executes on the mobile device's browser and server-side scripts that run in a cloud which will be operated by the Raspberry Pi hardware tool component Security over household always pays a high price which a middle class person cannot afford for such a price. Hence this paper leverages a security progression over the household in a very cheap cost and which he can itself provide a security which could also be said that 'he can be the ironman of his house'. Our Project, SHARP provides a greater benefit to any person who can afford a cheap product which could provide home automation features to any device carrying a browser. The home automation system works by using the internet as the master and Raspberry pi as hardware tool. A custom-made Raspberry Pi will be fitted at each power points or switch boards. It will act as the control for all electrical appliances (lighting, fans, air conditioners etc). There will be no work for the user regarding his/her appliance. One has to initialize the required settings at the time of setting up of the system. After that the system will be individual and self sustained. The custom Raspberry Pi will have relays fixed on, which will control all lighting and fans or any other electrical appliances. This board will have a Wireless connection that connects to an Internet hub. This Internet hub will be connected to the internet via LAN or Wi-Fi (Depends upon the choice of the user). As mentioned earlier the internet acts as a master since the entire control process is taken care of by an online server-side program (ASP or PHP modules). The user just has to login in to the specified webpage during the time of initialization and in case there is a need to change the automation settings. The web-page will be coded in such a way that it provides complete control to the user

over the automation process such as timing and conditions for the automation process. Specifically, Raspberry Pi makes the following contribution (a) operates the cameras and motion sensors, which is also used for security purpose (b) operation of home appliances.




Figure 3.1 System Model

Explains the overall connection of the hardware. Raspberry-Pi is connected to various sensors such as fire sensor, soil moisture sensor, temperature sensor and PIR sensor. Fire sensor is in turn connected to buzzer and water pump. Soil moisture sensor is also connected to the water pump. Motion sensor is connected to camera to capture image and live video streaming. Light is connected to capture the clear image at night. Temperature sensor is connected to Raspberry-Pi which in turn is connected to the motor to draw the curtain. Raspberry-Pi is connected to the Internet via Wi-Fi or LAN which can be accessed by the user through web interface.

**IV. RELATED WORKS AND RESULTS AND DISCUSSIONS**

Viewers can watch real video and audio using or Internet browser, or another copy of the Active Webcam program. When the program detects motion in the monitored area, it can sound an alarm, e-mail you the captured images, start broadcasting or record a video.

The program has features to add text captions and image logos to the images, to place a date/time stamp on each video frame, and to adjust the frame rate, picture size, and quality.

The system consists of mainly 3 components is a Wi-Fi module, raspberry pi board and relay circuits. Wi-Fi is used a communication channel between web interface and raspberry pi board.

This provides a full security support for homes. This system is more flexible and provides attractive user interface compared to other home automation systems.

**1. Banking**



Figure 3.2 Bank

**2. Buildings, offices, shopping-malls and parking lots.**



Figure 3.3 offices

**3. Retail.**



Figure 3.4 Retail shop

**Home automation web page:**



Figure 4.2 automation web page

**V. CONCLUSION**

Developed a comprehensive solution that provides a user friendly home automation and security application for homes. We accomplished this through the integration of cheap, off-the-shelf, widely available devices, interfaces and software coupled with a user friendly interface. This work provides users with an easy to use in mobile and pc for which they can remotely access and control their home appliances and security. In future we intend to provide a wireless relay connection and wireless sensors which can be movable and can be operated and which can be used in company and instates for Security to the whole building with one single system. This provides a full security support for homes.

REFERENCES

- [1]. P. Nirmala, T. Manimegalai, J. R. Arunkumar, S. Vimala, G. Vinoth Rajkumar, Raja Raju, "A Mechanism for Detecting the Intruder in the Network through a Stacking Dilated CNN Model", *Wireless Communications and Mobile Computing*, vol. 2022, Article ID 1955009, 13 pages, 2022. <https://doi.org/10.1155/2022/1955009>.
- [2]. D. Sathyanarayanan, T. S. Reddy, A. Sathish, P. Geetha, J. R. Arunkumar and S. P. K. Deepak, "American Sign Language Recognition System for Numerical and Alphabets," *2023 International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE)*, Chennai, India, 2023, pp. 1-6, doi: 10.1109/RMKMATE59243.2023.10369455.
- [3]. J. R. Arunkumar, Tägele berihun Mengist, 2020" Developing Ethiopian Yirgacheffe Coffee Grading Model using a Deep Learning Classifier" *International Journal of Innovative Technology and Exploring Engineering (IJITEE)* ISSN: 2278-3075, Volume-9 Issue-4, February 2020. DOI: 10.35940/ijitee.D1823.029420.
- [4]. Ashwini, S., Arunkumar, J.R., Prabu, R.T. *et al.* Diagnosis and multi-classification of lung diseases in CXR images using optimized deep convolutional neural network. *Soft Comput* (2023). <https://doi.org/10.1007/s00500-023-09480-3>
- [5]. J.R.Arunkumar, Dr.E.Muthukumar," A Novel Method to Improve AODV Protocol for WSN" in *Journal of Engineering Sciences*" ISSN NO: 0377-9254 Volume 3, Issue 1, Jul 2012.
- [6]. R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," *2023 Second International Conference on Informatics (ICI)*, Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [7]. Arunkumar, J. R. "Study Analysis of Cloud Security Challenges and Issues in Cloud Computing Technologies." *Journal of Science, Computing and Engineering Research* 6.8 (2023): 06-10.
- [8]. J. R. Arunkumar, R. Raman, S. Sivakumar and R. Pavithra, "Wearable Devices for Patient Monitoring System using IoT," *2023 8th International Conference on Communication and Electronics Systems (ICCES)*, Coimbatore, India, 2023, pp. 381-385, doi: 10.1109/ICCES57224.2023.10192741.
- [9]. S. Sugumarán, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," *2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI)*, Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [10].R. S. Vignesh, V. Chinnammal, Gururaj.D, A. K. Kumar, K. V. Karthikeyan and J. R. Arunkumar, "Secured Data Access and Control Abilities Management over Cloud Environment using Novel Cryptographic Principles," *2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI)*, Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199616.
- [11].Syamala, M., Anusuya, R., Sonkar, S.K. *et al.* Big data analytics for dynamic network slicing in 5G and beyond with dynamic user preferences. *Opt Quant Electron* **56**, 61 (2024). <https://doi.org/10.1007/s11082-023-05663-2>
- [12].Krishna Veni, S. R., and R. Anusuya. "Design and Study Analysis Automated Recognition system of Fake Currency Notes." *Journal of Science, Computing and Engineering Research* 6.6 (2023): 16-20.
- [13].V. RamKumar, S. Shanthi, K. S. Kumar, S. Kanageswari, S. Mahalakshmi and R. Anusuya, "Internet of Things Assisted Remote Health and Safety Monitoring Scheme Using Intelligent Sensors," *2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI)*, Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199766.
- [14].R. S. Vignesh, R. Sankar, A. Balaji, K. S. Kumar, V. Sharmila Bhargavi and R. Anusuya, "IoT Assisted Drunk and Drive People Identification to Avoid Accidents and Ensure Road Safety Measures," *2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI)*, Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10200809.
- [15].I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," *2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF)*, Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [16].G. Karthikeyan, D. T. G, R. Anusuya, K. K. G, J. T and R. T. Prabu, "Real-Time Sidewalk Crack Identification and Classification based on Convolutional Neural Network using Thermal Images," *2022 International Conference on Automation, Computing and Renewable Systems (ICACRS)*, Pudukkottai, India, 2022, pp. 1266-1274, doi: 10.1109/ICACRS55517.2022.10029202.
- [17].R. Meena, T. Kavitha, A. K. S, D. M. Mathew, R. Anusuya and G. Karthik, "Extracting Behavioral Characteristics of College Students Using Data Mining on Big Data," *2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF)*, Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10084276.
- [18].S. Bharathi, A. Balaji, D. Irene, J, C. Kalaivanan and R. Anusuya, "An Efficient Liver Disease Prediction based on Deep Convolutional Neural Network using Biopsy Images," *2022 3rd International Conference on Smart Electronics and Communication (ICOSEC)*, Trichy, India, 2022, pp. 1141-1147, doi: 10.1109/ICOSEC54921.2022.9951870.
- [19].I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," *2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF)*, Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [20].Revathi, S., et al. "Developing an Infant Monitoring System using IoT (INMOS)." *International Scientific Journal of Contemporary Research in Engineering Science and Management* 6.1 (2021): 111-115.