

Demonstrating And Reproduction of Incriminating Features of Solar Motorized Eletric Automobile

Mohd. Azharuddin bansari

Professor, Jamia Millia Islamia (Central University), India

Article Information

Received : 10 Feb 2025
Revised : 16 Feb 2025
Accepted : 20 Feb 2025
Published : 23 Feb 2025

Corresponding Author:

Azharuddin

Abstract— This work is aimed at modeling & Simulation of a distinct smart charging station for Electric Vehicles (EVs) that is suitable for DC quick EV charging while ensuring minimum stress on the power grid. Operation of the charging station is managed in such a way that it is either supplied by Photo Voltaic (PV) power or the power grid, it is also implemented for improving the stability of the grid during peak load hours. The PV interfaced DC/DC converter and grid interfaced DC/AC bidirectional converter share a DC bus. A smooth transition of one operating mode to another demonstrates the effectiveness of the employed control strategy. Modeling and control of the Charging are explained using PI Controller and are implemented in MATLAB Simulink. Simulations illustrate the feasible behavior of the charging station under all operating modes in terms of the Two-way interaction among PV & Electric Vehicle. It has been recognized that EVs bring new opportunities in terms of providing regulation services and consumption flexibility by varying the recharging power at a certain time instant. This dissertation work mainly focuses on electric vehicle charging based on solar and grid charging. Here I used one new tool for automation purpose which is called MATLAB embedded function from solar to grid and back. The dissertation also discusses the potential financial incentives required to inspire EV owners for active participation in the demand response mechanism.

Keywords: *Dynamic latch c*

Copyright © 2025: Mohd. Azharuddin bansari, This is an open access distribution, and reproduction in any medium, provided Access article distributed under the Creative Commons Attribution License the original work is properly cited License, which permits unrestricted use.

Citation: Mohd. Azharuddin bansari , “Demonstrating And Reproduction of Incriminating Features of Solar Motorized Eletric Automobile”, Journal of Science, Computing and Engineering Research, 8(2), February 2025.

I. INTRODUCTION

The worldwide adoption of Electric Vehicles (EVs) is significantly on the rise over the classic fossil fuel vehicles. However, the purchase price of an EV may still the main constraint in the market since the batteries are found to be significantly more expensive. Advantageous reasons make the customers prefer EVs such as low ecological impact with no greenhouse emissions and performance improvement, etc.

The energy sustainability requires consumers with environmental awareness and vision to electricity based on renewable, recent research confirms that one percent increase in renewable energies would lead to nearly 2–6% increase in EV demands. In this chapter, the challenges of the Electric Vehicle (EV) charging stations are discussed while highlighting the growing use of distributed generators in the modern electrical grid system.

The benefits of the adoption of Photo Voltaic(PV)sources along with battery storage devices are presented. Finally, the chapter ends with an introduction to the high level architecture of the proposed system along with a briefing of the content for the following chapters.

Conventional EV Charging Stations The prospective shortage of fossil fuels and the current environmental challenges of reducing the greenhouse gases motivate the extensive research on EV systems [1].

However, the research on EVs is highly impacted by the consumer willingness for switching from using conventional internal combustion engine vehicles to EVs as an alternate means of transport. This willingness is the main factor in predicting the future demand for EVs. In [2], the authors concluded that the charging time is one of the main challenges that the EV industry is facing.

Thus, this dissertation focuses on providing novel solutions for reducing the EV charging time by providing fast charging rates. Three levels of EV charging (shown in Fig. 1.1) are undergoing research and development in the US. The EV charging levels are classified according to their power charging rates [3].

Overnight charging takes place in level I, as the EVs are plugged to a convenient power outlet (120 V) for slow charging (1.5-2.5 kW) over long hours. The main concern of level-I is the long charging time, which renders this

charging level unsuitable for long driving cycles, when more than one charging operation is needed.

Moreover, from the electrical grid operation point of view, the long charging hours at night overloads the distribution transformers as they are not allowed to rest in a grid system with high number of connected EVs [4].

Level-II charging requires 240 V outlet; thus, it is typically used as the primary charging means for private and public facilities. This charging level is capable of supplying

power in the range of 4 - 6.6 kW over a period of 3 - 6 hours to replenish depleted EV batteries. The time required is still the main drawback in this charging level. Additionally, voltage sags and high power losses in an electrical grid system with a high penetration of level II charging are some of the challenges that are facing its widespread. Control and coordination in level II would reduce the negative impacts of level-II charging [5]; however, this requires an extensive communication system to be adopted.

In general, both levels-I and II require single phase power sources with on-board vehicle chargers. On the contrary, three-phase power systems are used with off-board chargers for level III fast charging rates (50-75 kW). The use of fast charging stations significantly reduces the EV charging time to less than half an hour for a complete charging cycle.

Additionally, a widespread deployment of fast EV charging stations across the urban and the residential areas would eliminate the EV range anxiety concern [6-7]. However, the high power charging rates required over a short interval of time for level-III impose a high demand on the electrical grid [8-9].

The current grid infrastructure is not capable of supporting the desired high charging rates of level-III. Thus, achieving fast charging rates while solely relying on the electrical grid does not only require the improvement of the charging system, but also the improvement of the electrical grid capacity. Additionally, drawing large amounts of current from the electrical grid will increase the utility charges especially at the peak hours and consequently will increase the system cost.

II. ELECTRIC VEHICLE AND TECHNOLOGY

Introduction An electric vehicle, also called an EV, uses one or more electric motors or traction motors for propulsion. An electric vehicle may be powered through a collector system by electricity from off-vehicle sources, or may be self-contained with a battery, solar panels or an electric generator to convert fuel to electricity. EVs include, but are not limited to, road and rail vehicles, surface and underwater vessels, electric aircraft and electric spacecraft.

History of Electric Vehicle In the late 1890s Electric

Vehicles (EVs) outsold gasoline cars ten to one. EVs dominated the roads and dealer showrooms. Some automobile companies, like Oldsmobile and Studebaker actually started out as successful EV companies, only later did they transition to gasoline-powered vehicles. In fact, the first car dealerships were exclusively for EVs.

In the late 1960s and early 1970s, there was a rebirth of EVs prompted by concerns about air pollution and the OPEC oil embargo. In the early 1990s, a few major automakers resumed production of EVs – prompted by California's landmark Zero Emission Vehicle (ZEV) Mandate.

Those EVs were produced in very low volumes – essentially hand-built like their early predecessors. However, as the ZEV mandate was weakened over the years, the automakers stopped making EVs – Toyota was the last major auto maker to stop EV production in 2003. Thanks to the efforts by DontCrush.com some of these production EVs were saved from the crusher.

What Is EV An Electric Vehicle (EV) has a battery instead of a petrol tank, and an electric motor instead of an internal combustion engine. The electricity stored in its battery powers the electric motor.

When too low, the car's battery needs to be recharged by plugging it in to use grid electricity, like when your phone needs charging. Similarly, Plug-in hybrids (PHEVs) come with a plug socket and charging leads so that you can charge the battery via the mains. Although they have a smaller capacity, these models are able to run in electric-only mode for 20-30 miles



Fig. 1 Battery electric vehicle

Lots of models, such as the Nissan Leaf, turn off the engine when stopped, and actually charge the battery when you brake – this is called 'regenerative braking'.

This technology is also seen in hybrid models and it helps to power the electric motor without needing to plug it in to charge so you can go further without using the petrol

engine Types of EV There are three main types of electric vehicles (EVs), classed by the degree that electricity is used as their energy

source. BEVs, or battery electric vehicles, PHEVs of plug-in hybrid electric vehicles, and HEVs, or hybrid electric vehicles. Only BEVs are capable of charging on a level 3, DC fast charge.

Battery Electric Vehicles (BEV) Battery Electric Vehicles, also called BEVs, and more frequently called EVs, are fully-electric vehicles with rechargeable batteries and no gasoline engine.

Battery electric vehicles store electricity onboard with high-capacity battery packs. Their battery power is used to run the electric motor and all onboard electronics. BEVs do not emit any harmful emissions and hazards caused by traditional gasoline-powered vehicles. BEVs are charged by electricity from an external source. Electric Vehicle (EV) chargers are classified according to the speed with which they recharge an EV's battery.

The classifications are Level 1, Level 2, and Level 3 or DC fast charging. Level 1 EV charging uses a standard household (120v) outlet to plug into the electric vehicle and takes over 8 hours to charge an EV for approximately 75-80 miles. Level one charging is typically done at home or at your workplace. Level 1 chargers have the capability to charge most EVs on the market. Level 2 charging requires a specialized station which provides power at 240v.

Level 2 chargers are typically found at workplaces and public charging stations and will take about 4 hours to charge a battery to 75-80 miles of range. Level 3 charging, DC fast charging, or simply fast charging is currently the fastest charging solution in the EV market. DC fast chargers are found at dedicated EV charging stations and charge a battery up to 90 miles range in approximately 30 minutes.

Plug-in Hybrid Electric Vehicle (PHEV) Plug-in Hybrid Electric Vehicles or PHEVs can recharge the battery through both regenerative braking and "plugging in" to an external source of electrical power. While "standard" hybrids can (at low speed) go about 1-2 miles before the gasoline engine turns on, PHEV models can go anywhere from 10-40 miles before their gas engines provide assistance.

Hybrid Electric Vehicles (HEV) HEVs are powered by both gasoline and electricity. The electric energy is generated by the car's own braking system to recharge the battery. This is called 'regenerative braking', a process where the electric motor helps to slow the vehicle and uses some of the energy normally converted to heat by the brakes.

HEVs start off using the electric motor, then the gasoline engine cuts in as load or speed rises. The two motors are controlled by an internal computer, which ensures the best economy for the driving conditions.

Block Diagram and Description This dissertation consists of PV system, power grid, dc to dc converter, ac to dc converter, battery charging circuit, battery, EV charging circuit and load. PV system generates dc supply which is further boosted by dc to dc converter section. Battery is charged through battery charging circuit which receives supply from solar system and power grid.

Electric vehicle charging circuit is used here to charge EV vehicle. AC supply of power grid is converted as dc by ac to dc converter section. When Solar power failure then that time Grid supply is connected to the load through the auto switching device.

PV System:

A photo-voltaic system, also PV system or solar power system, is a power system designed to supply usable solar power by means of photo voltaics. Simply put, PV systems are like any other electrical power generating systems, just the equipment used is different than that used for conventional electromechanical generating systems. However, the principles of operation and interfacing with other electrical systems remain the same, and are guided by a well-established body of electrical codes and standards. Although a PV array produces power when exposed to sunlight, a number of other components are required to properly conduct, control, convert, distribute, and store the energy produced by the array. **Power Grid:** An electric grid is a network of synchronized power providers and consumers that are connected by transmission and distribution lines and operated by one or more control centers. When most people talk about the power "grid," they're referring to the transmission system for electricity.

DC to DC Converter:

A DC-to-DC converter is an electronic circuit or electromechanical device that converts a source of direct

current (DC) from one voltage level to another. It is a type of electric power converter. Power levels range from very low (small batteries) to very high (high-voltage power transmission). **AC to DC Converter:** The ac to dc converter converts the ac input into the dc output. Average power is transferred from an ac source to a dc load. The ac to dc converter is called as rectifier. The peak inverse voltage is the maximum reverse voltage to which the diode is subjected when it is non conducting.

Battery Charging Circuit:

A battery charger, or recharger, is a device used to put energy into a secondary cell or rechargeable battery by

forcing an electric current through it. A trickle charger provides a relatively small amount of current, only enough to counteract self-discharge of a battery that is idle for a long time.

EV Charging circuit:

EV charging circuit is designed to charge electric vehicle. Software Requirements:

- Matlab 20172 or Higher Version.
- Simulink Tool Box.
- OS – WINDOWS 7 or Higher Version. Minimum Hardware Requirements Of PC:
- Processor – Intel 1.5 Ghz , 32 bits.
- RAM – 2 GB
- Hard disk – 100 GB
- Monitor Screen Size – 15 Inch
- Keyboard
- Mouse

III. CONCLUSION

Solar based electric vehicle charge system has been designed and tested in MATLAB simulink tool successfully. MATLAB version 2017a is used for designed. AC source charger also designed and it will support whenever solar side power failure occurred. Embedded based function calling automation is used here for auto switching process (solar mode/AC Source Mode). A proposed technique for PV-battery powered EV fast charging stations is presented in this work. The broad objective of the proposed technique is to help the penetration of the PV/battery systems into the grid and to support the growing need of fast EVs charging rates.

REFERENCES

- [1]. P. Nirmala, T. Manimegalai, J. R. Arunkumar, S. Vimala, G. Vinoth Rajkumar, Raja Raju, "A Mechanism for Detecting the Intruder in the Network through a Stacking Dilated CNN Model", *Wireless Communications and Mobile Computing*, vol. 2022, Article ID 1955009, 13 pages, 2022. <https://doi.org/10.1155/2022/1955009>.
- [2]. D. Sathyanarayanan, T. S. Reddy, A. Sathish, P. Geetha, J. R. Arunkumar and S. P. K. Deepak, "American Sign Language Recognition System for Numerical and Alphabets," 2023 International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE), Chennai, India, 2023, pp. 1-6, doi: 10.1109/RMKMATE59243.2023.10369455.
- [3]. J. R. Arunkumar, Tagele berihun Mengist, 2020" Developing Ethiopian Yirgacheffe Coffee Grading Model using a Deep Learning Classifier" *International Journal of Innovative Technology and Exploring Engineering (IJITEE)* ISSN: 2278-3075, Volume-9 Issue-4, February 2020. DOI: 10.35940/ijitee.D1823.029420.
- [4]. Ashwini, S., Arunkumar, J.R., Prabu, R.T. et al. Diagnosis and multi-classification of lung diseases in CXR images using optimized deep convolutional neural network. *Soft Comput* (2023). <https://doi.org/10.1007/s00500-023-09480-3>
- [5]. J.R.Arunkumar, Dr.E.Muthukumar," A Novel Method to Improve AODV Protocol for WSN" in *Journal of Engineering Sciences* ISSN NO: 0377-9254 Volume 3, Issue 1, Jul 2012.
- [6]. R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [7]. Arunkumar, J. R. "Study Analysis of Cloud Security Challenges and Issues in Cloud Computing Technologies." *Journal of Science, Computing and Engineering Research* 6.8 (2023): 06-10.
- [8]. J. R. Arunkumar, R. Raman, S. Sivakumar and R. Pavithra, "Wearable Devices for Patient Monitoring System using IoT," 2023 8th International Conference on Communication and Electronics Systems (ICCES), Coimbatore, India, 2023, pp. 381-385, doi: 10.1109/ICCES57224.2023.10192741.
- [9]. S. Sugumaran, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [10]. R. S. Vignesh, V. Chinnammal, Gururaj.D, A. K. Kumar, K. V. Karthikeyan and J. R. Arunkumar, "Secured Data Access and Control Abilities Management over Cloud Environment using Novel Cryptographic Principles," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199616.
- [11]. Syamala, M., Anusuya, R., Sonkar, S.K. et al. Big data analytics for dynamic network slicing in 5G and beyond with dynamic user preferences. *Opt Quant Electron* 56, 61 (2024). <https://doi.org/10.1007/s11082-023-05663-2>
- [12]. Krishna Veni, S. R., and R. Anusuya. "Design and Study Analysis Automated Recognition system of Fake Currency Notes." *Journal of Science, Computing and Engineering Research* 6.6 (2023): 16-20.
- [13]. V. RamKumar, S. Shanthi, K. S. Kumar, S. Kanageswari, S. Mahalakshmi and R. Anusuya, "Internet of Things Assisted Remote Health and Safety Monitoring Scheme Using Intelligent Sensors," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ACCAI58221.2023.10199766.
- [14]. R. S. Vignesh, R. Sankar, A. Balaji, K. S. Kumar, V. Sharmila Bhargavi and R. Anusuya, "IoT Assisted Drunk and Drive People Identification to Avoid Accidents and Ensure Road Safety Measures," 2023 International Conference on

- Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10200809.
- [15].I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [16].G. Karthikeyan, D. T. G, R. Anusuya, K. K. G, J. T and R. T. Prabu, "Real-Time Sidewalk Crack Identification and Classification based on Convolutional Neural Network using Thermal Images," 2022 International Conference on Automation, Computing and Renewable Systems (ICACRS), Pudukkottai, India, 2022, pp. 1266-1274, doi: 10.1109/ICACRS55517.2022.10029202.
- [17].R. Meena, T. Kavitha, A. K. S, D. M. Mathew, R. Anusuya and G. Karthik, "Extracting Behavioral Characteristics of College Students Using Data Mining on Big Data," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10084276.
- [18].S. Bharathi, A. Balaji, D. Irene, J. C. Kalaivanan and R. Anusuya, "An Efficient Liver Disease Prediction based on Deep Convolutional Neural Network using Biopsy Images," 2022 3rd International Conference on Smart Electronics and Communication (ICOSEC), Trichy, India, 2022, pp. 1141-1147, doi: 10.1109/ICOSEC54921.2022.9951870.
- [19].I. Chandra, G. Sowmiya, G. Charulatha, S. D, S. Gomathi and R. Anusuya, "An efficient Intelligent Systems for Low-Power Consumption Zigbee-Based Wearable Device for Voice Data Transmission," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ICECONF57129.2023.10083856.
- [20].Revathi, S., et al. "Developing an Infant Monitoring System using IoT (INMOS)." International Scientific Journal of Contemporary Research in Engineering Science and Management 6.1 (2021): 111-115.
- [21].R. K, A. Shameem, P. Biswas, B. T. Geetha, J. R. Arunkumar and P. K. Lakineni, "Supply Chain Management Using Blockchain: Opportunities, Challenges, and Future Directions," 2023 Second International Conference on Informatics (ICI), Noida, India, 2023, pp. 1-6, doi: 10.1109/ICI60088.2023.10421633.
- [22].J.R.Arunkumar. "Comprehensice Analysis of Security Issues in Cloud Computing Technologies", Journal of Science,Computing and Engineering Research, 6(5), 06-10, June 2023.
- [23].S. Sugumaran, C. Geetha, S. S, P. C. Bharath Kumar, T. D. Subha and J. R. Arunkumar, "Energy Efficient Routing Algorithm with Mobile Sink Assistance in Wireless Sensor Networks," 2023 International Conference on Advances in Computing, Communication and Applied Informatics (ACCAI), Chennai, India, 2023, pp. 1-7, doi: 10.1109/ACCAI58221.2023.10201142.
- [24].I. Chandra, K. V. Karthikeyan, R. V, S. K, M. Tamilselvi and J. R. Arunkumar, "A Robust and Efficient Computational Offloading and Task Scheduling Model in Mobile Cloud Computing," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084293.
- [25].R. S. Vignesh, A. Kumar S, T. M. Amirthalakshmi, P. Delphy, J. R. Arunkumar and S. Kamatchi, "An Efficient and Intelligent Systems for Internet of Things Based Health Observance System for Covid 19 Patients," 2023 International Conference on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF), Chennai, India, 2023, pp. 1-8, doi: 10.1109/ICECONF57129.2023.10084066.
- [26].DC Jullie Josephine, J Sudhakar, T Helan Vidhya, R Anusuya, G Ramkumar,"An Improved Multi class Breast cancer classification and Abnormality Detection based on Modified Deep Learning Neural Network Principles", Deep Learning in Biomedical Signal and Medical Imaging, CRC Press, Taylor and Francis, 2024.
- [27].R. Anusuya, Pragya Vashishtha, "Real Automatic Number Plate Image Detection With Yolo Algorithms", Journal of Science, Computing and Engineering Research, 7(7), July 2024.